Specializing in Mechanical Fuel Injection & Supercharged Applications



800.576.7661

WE SHIP WORLDWIDE!

Smart Phone & Tablet Friendly
(See Inside Cover)

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacrificing customer service.

This Catalog is Smart Phone & Tablet Friendly !!



Why Scan the QR Codes?

* Order Online
* Current Prices
* Specifications
* Options (***Color, Sizes, etc..***)
* Technical Tips
* How-To-Videos
* Discounts & Promotions!
* Download Digital Catalog
* ***And Much, Much More....***

How to scan a QR Code?
Use the Camera on your Smart Device or download an App. It's that Easy!



We ship Domestic and International Daily.







Our freight costs are very reasonable and competitve.

How to Contact Us

Orders... **800/576-7661** E-mail.... **sales@DragParts.com**

Tech/BS **562/945-7669** Web..... **GoodVibrationsRacing.com**

Ship & Snail Mail: 8858 Painter Ave, Ste. E, Whittier, CA 90602 USA

Why Buy From Good Vibrations?

* Prices

Never pay Retail. All products are generously discounted.

* Quality

We sell premium quality products only.


* Technical Support

No Question is too tough.
Deal directly with enthusiasts that speak your language.

* Promptness

98% of orders are shipped the same day :-)))

GUARANTEED Ground Shipping Time
Or your money back!



We also Ship International Daily!

Major Events



Event Info

Auto Club Famoso Raceway

Keystone Raceway Park



Sponsored by: Good Vibrations Motorsports

Event Info

Telephone Orders

Open between 6am - 5pm (PST) Mon-Fri. Also online at: GoodVibrationsRacing.com. Most orders are processed and shipped within 24 hours. UPS, DHL & USPS are the methods of shipping unless otherwise specified. Domestic UPS Ground is approximately 1-4 business days, depending on your location. Faster service is available (*See chart on left page*).

Payment Policy & Returns

Orders can be Paid by Amer Express, Mastercard, Visa, Discover credit/debit cards or Paypal. No reasonable return will be refused though cancelled orders and returns can be subject up to a 20% restock fee. A copy of the original should accompany all returns within 30 days of the original purchase date. A RMA number is required for returns.

Freight & Shipping

All shipments are shipped freight prepaid unless other arrangements are made. All shipments are fully insured. If your shipment is damaged, save all packaging material and contact the freight carrier immediately.

Prices & Specifications

California Sales are subject to state sales taxes.

All prices are subject to change without notice.

Shortages or Discrepancies

All shortages or discrepancies must be reported within 10 days from receipt of shipment. Please include invoice number and date of receipt.

Warranty

THIS MERCHANDISE IS INTENDED FOR OFF-HIGHWAY USE, MAINLY RACING. THE EFFECTIVENESS WARRANTY AND LONGEVITY OF THIS EQUIPMENT ARE RELATED DIRECTLY TO THE MANNER IN WHICH IT IS INSTALLED, USED AND /OR MAINTAINED. WE CANNOT BE RESPONSIBLE FOR THE QUALITY OF INSTALLATION, AND WE ARE NOT RESPONSIBLE FOR DAMAGE OR INJURY, DIRECT OR CONSEQUENTIAL, LOSS OR CASUALTY WHICH MIGHT RESULT FROM CIRCUMSTANCES BEYOND OUR CONTROL.
Some products carry the manufacturers warranty.

Not for sale or use on pollution controlled vehicles

Fuel Injection	4-13
Linkage-Cables	14-15
Supercharging	16-25
Bearings-Rings	26-27
Valve Covers-Pit Mat	28-29
Steering - Brakes	30
Tabs - Rod Ends	31
Starters	32
Safety Product	33-37
Specialty Tools	38-41
Hose & Fittings	42-47
Gaskets	48-51
Gear Drives	52-53
Oils & Lubes	54-55
Magnetos	56-58
JAZ Products	59
Oil Systems	60-62
Neat Stuff	63

Team RFC


phil. 4: 6-7

God Speed Ministries

Good Vibrations Motorsports is the Largest Dealer in the World of Enderle Fuel Injection products!!

ENDERLE FUEL INJECTION

Blown Injection





Butterfly Options!

Blower Injectors are complete with:
Polished hat, Barrel Valve, Fuel Lines (Rubber or SS), Nozzles & Bodies, Check Valve, Distribution Block & Bypass Pills, Instructions.

E-1001 Bugcatcher ***Gas***
E-1002 Bugcatcher ***Alky***
E-1003 Birdcatcher ***Gas***
E-1004 Birdcatcher ***Alky***

Prices & Options!

Injector Assemblies are set up *FREE* per customer application !

3-Rib Nostalgia Bugcatcher *It's Back!*

This cool injector is nearly identical to the original Bugcatcher of days gone by. Has the three ribs on the top rear. Ideal for that nostalgia look.



E-4005F Partial Hat
E-1002F Complete Assy

Injector Hat - *Partial*

Includes:
Polished Hat, Shaft, Stops, Double Arms and Butterflies.



E-4005 Bug **E-4006** Bird

Injector Hat Filter Assembly

Sand Drags * Mud Bogs
Tractor Pullers





Keeps rocks and debris out of your engine & blower

Sizes: **5, 7 & 10"**




Kit includes:
- Outerware
- **Billet** Aluminum Housing
- SS Quick Disconnect Pins
- Mounting Hardware
- Reusable Filter element



Outerware Colors:
(Red, Orange, Blue, Black, Purple)

Billet



Birdcatcher ...
Bugcatcher ...
Filter Only ....
Cleaner-Oil ..
SS QR Pin ....

Big & Ugly ...
Filter Only ....

Big & Ugly (BAU)



Polished Aluminum

Complete Assembly

Includes: Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Check Valve, Dist Block & Bypass Pills.

E-BAU-3-36 3 9/16" **or** 4 3/8"
E-BAU-1-5 5" **or** 9/16"

Partial Assembly

Includes: Polished Hat, Shaft, Butterflies, Stops & Arms.

E-BAU-3SB-36 3 9/16" **or** 4 3/8"
E-BAU-1-SB-5 5" **or** 5 9/16"

Prices & Options!

4 Butterfly Sizes:
3 9/16, 4 3/8, 5 & 5 9/16"
Weight **16lbs,** 2 Heights: **8.3" Tall or 10.5"**

Aluminum Injector Hat is Enderle's replica of the original carbon fiber hats. It has a highly luster polished finish and billet front.

Carbon Fiber Look



Most Injector Hats are now offered in a Carbon Fiber Dip! The strength of Aluminum and cool look of Carbon.

Yes, you can have the best of both!

3-Hole BILLET Upright Injectors



Ideal for:
Tractor Pullers
Mud Boggers

E-BAU-5-5-B

Fits Blower or Tunnel Ram
Billet Aluminum
Anodized Black



Progressive Linkages

Need Partial Throttle?

Allows better partial throttle by opening just one butterfly first. The other butterflies are then opened progressively.

E-BAUPLA Installed on new hat

E-BAUPL1 Retrofit existing hat



Need some FREE Tuning Advice?

Call upon the Good Vibrations team. They have won an unprecedented 6 CIFCA Championships. And they are eager to share their knowledge and experience with you.

Billet Spur Gear Fuel Pumps

CW or CCW * Bolt-on or QR Collar * BILLET Construction * Stainless-Steel Bolts

SMALL Twin Spur Gear

E-SG480 4.4 gpm
E-SG570 5.7 gpm
E-SG750 7.6 gpm
E-SG830 8.5 gpm
E-SG960 9.5 gpm

From

New!



AN8 Female Fittings

LARGE Twin Spur Gear

E-SG2-810 14.0gpm
E-SG2-980 16.3gpm
E-SG2-1080 18.4 gpm
E-SG2-1190 19.2 gpm
E-SG2-1250 20.2 gpm
E-SG2-1365 22.0 gpm

From



Female AN10 Out/ AN16 Inlet

Spur Gear Fuel Pumps



Complete

Billet **Gear** pumps are CNC machined to perfection and are type III hard coat anodized for durability. These pumps can be cam driven (CW rotation) or belt driven off the crank (CCW rotation). Utilizes a 3/8in hex drive shaft. Outlet and inlet fittings are interchangeable. Pumps have the ability to be mounted with the standard 4-bolt pattern or with a quick-release flange (sold separately).

COMPLETE: Pump, Inlet & Outlet Fittings, 3-way Shut-Off Valve and Q.R. Clamp.







AER-11134	16gpm	(Alky or Nitro)
AER-11935.C	21.0gpm.	FC Complete
AER-11940	20.9gpm.	NHRA Nost FC
AER-11940.C	20.9gpm.	FC Complete
AER-11941	20.0gpm.	NHRA Dragster
AER-11941.C	20.0gpm.	Dragster Complete
AER-11735	Quick-Release Flange	
AER-11736	3 & 4 Bolt Flange	
AER-11741	Shut-Off Valve ***Alky***	
AER-11743	Shut-Off Valve ***Nitro***	

Prices & Options

Legal !

Compatible to Enderle's 80A-1

In & Outs:
AN10



AER-11107 6.8gpm

Inlet:
AN16 or 1.25
Outlet:
AN12

ATOMIC
Compatible to Enderle's 110



AER-11117 11.4gpm

Billet G-Rotor Fuel Pumps

Fuel pumps are flowed and compatible with all fuels.

Billet **G-Rotor** Gear pumps are CNC machined to perfection and hard anodized for durability. Cam driven (CW) or belt driven off the crank (CCW). Utilizes a 3/8 hex drive shaft and can be rotated after mounting.





Inlet & Outlet Fittings
Includes: SS bolts & O-rings

AER-11745 Female AN8
AER-11746 Female AN12
AER-11747 Male AN16
AER-11748 Male 1.25 Barb



BILLET Y-Blocks
Anodized Black
Corrosion Resistance
Compatible with all fuels

AER-15673 AN8-6
AER-15674 AN8-8
AER-15675 AN10-8
AER-15677 AN12-8

BILLET Pumps Gear-Rotor (Flowed)

Pumps are *Coated* inside.
Cam or Belt Driven



These pumps ***replace*** the original Cast housing pumps.

E-30-80B-00 80A-0 (4.5 gpm)
E-30-80B-05 80A-5 (5.5 gpm)
E-30-80B-10 80A-1 (7.4 gpm)
E-30-110B-05 760 (11.4 gpm)
E-30-110B-10 110 (13.4 gpm)
E-30-110B-15 990 (15.7 gpm)
E-30-110B-20 1100 (17.2 gpm)
E-30-110B-22 1200 (19.2 gpm)

Pump Components



E-2000C 3-Hole Collar
E-3000C 4-Hole Collar



E-88011 11mm Bearing
E-6002 ZZ 15mm Brng
E-114HC-11 .433 Seal



E-114HC-15 .590 Seal
E-PS-15 .590 Seal -New

Pump Belt Drive

Allows one to drive the fuel pump off the crankshaft. Required if your water pump blocks access to the cam.

E-5011 SBC
E-5010 BBC
E-5012 SBF
E-5014 BB Mopar
E-5014A Blown
E-5015 BBF



Stainless Steel Pump Loop Lines


Pre-bent stainless steel loop lines are designed to return fuel to inlet of pump.



E-110SOT6 110 Shutoff using a tee (shown)
E-110HS6 110 High Speed
E-110SO6 110 Shutoff
E-80AHS6 80A High Speed
E-80ASO6 80A Shutoff
E-80ASOT6 80A Shutoff using a tee
E-LOOP-AN6 AN6 K-style B/V (shown)



Pump Inlet Fitting with Returns.



Complete Loop Kits



FI-2106
Routes three AN6 returns. Side or bottom outlet.

Billet Fuel Logs

Mounts to the side of Shutoff Valve.



FI-2100
Routes four AN6 returns into one outlet. Accepts "Screw-In" style bypass pills.

Fuel Pump Exts

3pc Billet Aluminum
360 Degrees Adjustable
Internal Shaft & Bearing



Lengths:
2 - 6 inches
1/2" increment

Standard Ext
Quick Release
FI-2315 SS Clamp
FI-2313 Billet Clamp

3-Way Fuel Shutoff Valve

Adjustable 360 Degrees and includes Arm & Fittings.

Mandatory on Enderle pumps

Shutoff Valve

E-85110 AN6
E-85210 AN8
E-85310.12 AN12

O-Ring/ Seal Kit

E-85103 AN6
E-85203 AN8

Also in stock for Nitro.

S/O Bracket Kit

E-80ABR 80A Pumps
E-110BR 110 Series



Over-Center Spring Bracket Assy

This bracket setup will hold the Enderle shutoff valve positively in the ***ON*** position until it is turned off manually.

Includes: Billet Alum Bracket, SS Spring, Bolt & Nut.

FI-5140 AN6 S/O
FI-5142 AN8 S/O
FI-5144 AN12 S/O



Premium Fuel Injection Components



E-4013 * 4014 * 4103CF

Prices & Vast Selection



E-4026



E-4012.31
E-4012.44B

E-4013 Bugcatcher Butterfly
E-4014 Birdcatcher Butterfly
E-4103 Buzzard Butterfly
E-4103CF Big/ Ugly Butterfly
E-4011 Small Serrated Arm BILLET
E-4011A-5/16 Double Serrated Arm Bug
E-4011A Double Serrated Arm 7/16 Bird/Buzz/BAU
E-4011A.44B Double Serrated Arm 7/16 BILLET
E-4011B Long Double Serrated Arm Bird/Buzz
E-4012.31B Throttle Stop Bug 5/16 BILLET
E-4012.44B Throttle Stop 7/16 Bird/Buzz/BAU BILLET
E-4012TS Throttle Stop Thumb Screw
E-4026 Barrel Valve Linkage Turnbuckle Assy



E-4011A.44B



E-4011



E-4011A



E-4011B



ENDERLE FUEL INJECTION



E-5001



E-5004



E-5004B.BLK



E-5003

E-5001 SB Chevy Cast Alum Front Cover
E-5002 SB Chevy Front Cover Seal
E-5003 SB Ford Cast Alum Front Cove
E-5004 BB Chevy Cast Alum Front Cover
E-5004B.BLK BB Chevy BILLET Alum Front Cover
E-5008 Chevy Hex Drive Assembly
E-5005A 426 Hemi Hex Drive
E-4009 Bugcatcher Shaft
E-4010 Birdcatcher Shaft
E-4102 Buzzardcatcher Shaft
E-4102CF Big & Ugly Shaft
B-5019 Hat Injector Stud & Nut Kit (4pc)



E-5005A



E-4010



E-5008



B-5019

Fuel Distribution Blocks

Blocks feature a black billet aluminum housing and includes fittings. Machined for use with a primer check valve.

E-4027VW Block w/ 4 fittings
E-4027 Hat Block w/ 8 fittings
E-4028 Port Block w/ 8 fittings
E-4028A Port Block w/ 12 fittings







Injector Hat & Port Line Sets



E-855 Crimping Tool
E-DFL03 3/16 Hose
E-620 3/16 Ferrule ea.
E-KFO3 Str Hose End ea.
E-KFO3-90 Hose End
E-KFO3-90 Hose End



Rubber or Stainless-Steel

Assembled Line Sets **(Set of 8)**
E-4031 Hat SS
E-4034 Hat Rubber
E-4036 Port SS
E-4035 Port Rubber

From

Complete Port Kits



Complete with:
Nozzle Jets and Bodies, SS Lines (or hoses), Dist Block & AN8 Check Valve.




ENDERLE FUEL INJECTION

Available: ***Rubber Hoses or Stainless Steel***

Need a Tune up? Call or email us.

Billet Aluminum Y-Blocks

Billet Aluminum
Black Anodized
Single Inlet
Dual Outlets
Fuel or Oil



FI-2110 AN8-6
FI-2112 AN10-8
FI-2114 AN12-12
FI-2116 AN12-10
FI-2116 AN12-10

Gas - E85 - Alky - Nitro

Check Valves





Brass check valves feature a one-way, spring-loaded poppet design. PSI is varied by springs and shims.



E-6001 AN6 Check Valves
E-6010 AN8 Check Valves
E-7133 Primer Check Valve AN4
E-6007.KIT AN6 Spring & Shim Kit
E-6015.KIT AN8 Spring & Shim Kit

Bypass Pills, Nozzle Jets, Holders

Enderle ***Bypass Pills*** are the **"Screw-In style"** and are designed to divert fuel away from the engine. The larger the pill, the leaner the mixture.



Install pills without damaging. Stores 8 pills.

E-7009.SD Driver..



Sizes:
.020 to .209

E-7009 .. Bypass Pill





Hi-Speed kit .050-.095

Alum storage holder is a convenient place to store up to 40 bypass pills.

E-7010 Holder ..

Enderle ***Nozzle Jets*** are the **"Screw-In"** style



d



a



b

Anodized aluminum storage holder is a convenient and safe place to store up to 60 jets.

Sizes: **.016 to .110**

Brass or Aluminum

a. **E-7007** Brass Nozzle Jet
a. **E-7007A** Flowed Nozzle Jet
b. **E-7121A** Port Nozzle Body
b. **E-7130A** Ball Check Port Body
c. **E-7110A** Top Nozzle Body
d. **E-7011** Jet Storage Holder



c



Bob Hawkins

On-Board Self Primer System

Special 4psi check valve controls fuel.
Choice: **Stainless-Steel or 1qt Poly** tank.
Prime mechanical fuel injection from inside the driver's cockpit.







FI-5134 System w/ 12 Volt pump & Poly tank
FI-5135 System w/ 12 Volt pump & SS tank

Injector Hat Spacer & Adapters



Blac

Billet Adapter

Allows one to bolt a smaller hat (13.25" bolt pattern) to a large blower (15.25" bolt pattern).

E-BS2 2in Injector Spacer
E-BS3 3in Injector Spacer
B-9055 Billet Hat Adapter
B-6019 Hat Stud Kit



Polished Spacers

Height: 2 or 3"
C-C: 13.25"
Includes Hardware

Hi-Flow Adapter



Machined from billet aluminum & o-ringed. Accepts Enderle or Hilborn hats & carb adapter plates. 2" high & 3" forward offset for improved airflow.



B-9058 Polished
B-9059 Anodized Black

Includes O-ring and Mounting Hardware !

Barrel Valves

Enderle Barrel Valves can be used on Gas, E85, Alky, Nitro.

Available for Blowers & Naturally Aspirated.


E-4023


E-4024A


E-4019


E-4020A


E-MVORM

E-MVORM O-Ring Kit (Specify Style)
E-4018 Gas Metering Piston
E-4018-32 Tunnel Ram Metering Piston
E-4019 Alcohol Metering Piston
E-4020 Nitro Metering Piston K-Style **E-4020A** Alky Metering Piston K-Style
E-4023 Barrel Valve Assy Square-Style Alky
E-4024A Barrel Valve Assy K-Style Alky
E-4024A.PSI Barrel Valve Assy K-Style PSI

Barrel Valve Leakdown

* Block off all injector lines & returns except for hat nozzles
* Connect dual gauge tester to outlet of compressor
* Set air compressor to read 0%
* Connect tester to inlet of barrel valve
* Read true % of leakage
* Adjust linkage turnbuckle for desired % *(Lengthen to **Richen,** Shorten to **Lean**)*

How to Video

Leakdown Tester

Billet Aluminum

Includes Injector Hose (AN6 or 8)

Professional Grade

T-2001



Injector Hose ..

T-2006 AN6 **T-2008** AN8

12V Electronic Fuel Lean-Outs



*** More Top End MPH**
*** Accepts Enderle Pills**
*** Converter Helper**
*** Low Draw**

FI-5101 Lean Out
FI-5103 Enrichment

As a high-speed lean out, this valve can be activated with an RPM activated switch, timer or momentary switch. Fuel will be taken away at the top end for best horse-power. What's a "Converter helper"? When a fuel injected motor is on a rev-limiter, the motor cools down severely since a large quantity of fuel is not being burned. This valve can be wired to the transbrake circuit so that when the transbrake is set, the valve opens and keeps the motor hot, lean and mean while on the rev-limiter.

Hi-Speed Assembly

Bleeds off fuel at higher rpm.
Frees up top-end horsepower.
Install anywhere between pump and distribution block.



Variety of Pressures Available.
Accepts Enderle Bypass Pill.

E-7019 Unblown AN6 Tee **E-7018** Blown AN8 Tee

Air Bleeds



Allows one to adust idle on injectors

P-2310 1/8

Toll-Free Tech Advice & Online "How-To-Videos"

Call or Click !



800.576.7661
DragParts.com

ENDERLE FUEL INJECTION

Why Enderle Fuel Injection ?

Online Prices & Styles

Tunnel Ram Injectors are Complete with:
Polished Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Main and Secondary Check Valves, Dist Block & Bypass Pills.


- ***Consistent & Responsive***
- ***Dependable & Affordable***
- ***FREE Tech Support***
- ***Looks Cool!***

E-2100A Bugcatcher Assy
E-2101A Birdcatcher Assy
E-BAU-3A-36 Big & Ugly
E-7070 Edelbrock SBC TR Base
E-7075 Edelbrock BBC TR Base
E-6209 Dart BBC Tall Deck w/ Adap
E-TRA7075 BBC Top Adap Plate
E-TRA6209 BBC Dart Top Adap Plate
E-SBTRA SBC Top Adap Plate



Injectors are set up per customer application FREE at NO additional charge.

Convert Your 4 Barrel Manifold into Fuel Injection!



Intake not included

Very Consistent & Responsive

Injectors complete with: Barrel Valve, Lines, Nozzles, Pills and Air Filter Bracket. Has standard Holley four barrel bolt pattern. **Gas, E85 or Alky.**

FREE Setup and Calibration per your Application!

Single Body - Assembly
E-2020.39 4”
E-2020.50 5”

Dual Body - Assembly
E-2030.39 4”
E-2030.50 5”

Single Body - Partial
E-4080.39 4”
E-4080.50 5”

Air Filter Assembly
E-2020.39F 4”
E-2020.50F 5”

Progressive Linkage
E-67-260FSB

Single/Dual Butterfly Injector



ENDERLE FUEL INJECTION K&N Filter




E-67-260FSB



Premium Fuel Filters

Anodized ***Black*** or ***Red***

System One filters are made from billet alum and feature a reusable 30 micron SS filter. Handles high pressure without volume loss.



	Race - Long **2 x 9”**	***Race*** **2 x 6”**	***Pro-Street*** **2 x 4”**
AN6	SYS-202-202406	SYS-201-203406	SYS-200-201406
AN8	SYS-202-202408	SYS-201-203408	SYS-200-201408
AN10	SYS-202-202410	SYS-201-203410	SYS-200-201
AN12	SYS-202-202412	SYS-201-203412	**From ..**

Also Replacement SS Elements

Fuel Filters with Shutoffs

Designed to mount before the pump. AN12 female ports and a reusable #40 stainless steel screen. Foot pad is tapped with 1/4 -20 threads for easy mounting.



E-4056 w/o Shutof

E-4057

Gas, E85, Alky & Nitro




100 Micron SS Element
Female AN12

2.5 x 9”

AER-12332





Viton O-Rings
60 or 120 Micron
2.50” x 3.90”

Gas, E85, Alky, Nitro

X-7106SAN.60 60 Micron AN6
X-7108SAN.60 60 Micron AN8
X-7110SAN.60 60 Micron AN10
X-7112SAN.120 120 Micron AN12



Internal Mount AN12
Gas, E85, Alky
X-980012FS

JAZ economical inline billet aluminum ***filters*** are 5in long and feature a 35 micron element.

Gas Only



JAZ-836-006-11 AN6
JAZ-836-008-11 AN8
JAZ-836-010-11 AN10
JAZ-836-001-11 3/8” Barb

Hydrometers



Complete with: Hydrometers, Glass Beaker, Thermometer, Padded Case and Instructions.
Also checks: Gas, Methanol & Ethanol.

Hydrometer Kits

From

T-1200 Gas & Alky. 1 Hydrometer
T-1203 0-30 Nitro. 2 Hydrometers
T-1204 0-60 Nitro. 3 Hydrometers
T-1205 0-100 Nitro. 4 Hydrometers

Hydrometer Only

Most

T-1210 Hydrometer Gas-Methanol
T-1213 Hydrometer 5-30% Nitro
T-1215 Hydrometer 30-60% Nitro
T-1217 Hydrometer 60-100% Nitro



Components

T-1220 Padded Case
T-1222 Glass Beaker
T-1224 Thermometer



Nitro Sizes
0 - 50%
50 - 100%

E-7012 Hydrometer Kit Gas/Alky
E-7013 Hydrometer Kit Nitro
E-7014 Nitro Hydrometer
E-7014B Gas/Alky Hydrometer
E-7015 Beaker only
E-7016 Wood Case

Pressure Gauge

Liquid Filled
Boost, Oil, Fuel



Gauge Only

X-710000 .. 0-15psi
X-710030 .. 0-30psi
X-710060 .. 0-60psi
X-710100 .. 0-100psi

Blower Boost Memory Kit ..
Records Highest Reading
B-5130 (Gauge **not** included in kit)

Injector De-Icer

Spray directly onto Injector Butterflies to prevent sticking & freezing.

11oz Aerosol
FI-7150





Phantom Universal

Phantom Universal Fuel Pump System allows the option to install a High-Performance pump inside virtually any fuel tank from 6" deep to 11" deep, including your factory tank and can support both Forced Induction and Naturally Aspirated motors.

AER-18309 Dual Phantom Sys **AER-18688** Single Phantom Sys



Designed for In-Tank use.

340 Stealth Series

340 Stealth Series are High-Output Electric Pumps that will fit most popular EFI & CARB applications. Pump will bolt onto many existing Hanger assemblies. ***2 styles:*** Center or Offset Inlet.

AER-11540 Center Inlet **AER-11542** Offset Inlet



A1000 Series

A1000 Fuel Pump Series is ideal for high horsepower EFI or Carb applications. Features a Female AN10 ORB inlet and a AN10 ORB outlet port.

Pump is fully submersible for custom In-Tank placement.

AER-11101 In-Line. 1000HP EFI / 1300HP Carbs



Erica Enders-Stevens Back To Back Pro Stock Championships with Aeromotive A-3000 Fuel System !!



A3000 Series

Ideal for high horsepower Carb applications. Features a Female AN12 ORB inlet and a AN10 ORB outlet port. Ideal for Bracket Cars, Pro Mods, etc..

6.8gpm @ 5psi (over 400gph)

Regulator & Filter can be clocked in 45 degree increments.

AER-11215 Complete Kit
AER-11216 A3000 Pump
AER-11217 Adj Regulator
AER-11218 100 Micron Filter

Gas or Alcohol

Adjustable Regulators

Aeromotive Regulators are some of the finest on the market. Machined from Billet Aluminum. Includes mounting bracket.

Available for EFI & Carb Applications

a 

b 

c 

a. **AER-13109** EFI. Two AN6 Inlets w/ One AN6 Return
b. **AER-13204** Carbs. By-Pass. 2-Port
c. **AER-13301** Carbs. By-Pass. 3-Port 3/8 npt





FI-5113 Most Hats
FI-5114 PSI Hat


FI-5111 Most Hats
FI-5111.B Black

BILLET Throttle Cable Brackets

6061 Billet Aluminum
Provision for Springs.
Fits Blower & Tunnel Ram Injectors.
TF/TA Approved.
(Swingover hookclamp optional on F-5111)



Studs & SS Nuts
FI-5122



Works with Bug or Bird.
Anodized Aluminum.
Mounts to front of Blower.
Swingover Hook clamp.
Provision for Springs.


FI-5110




QR Throttle Stop

Quick Release in < 1 Second
Billet Aluminum w/ SS Pin
Top Fuel & Alcohol Legal

FI-5120



Premium Return Springs



FI-5115 Strong **FI-5116** Medium

Special bend prevents spring from detaching from Injector. Includes Grade 8 10-24 bolt & locking nut.


Adjustable Bell Crank Assembly



Billet Aluminum
Stainless-Steel Fasteners

E-34-500


Injector Hat Linkage Kit



Designed to work with mechanical fuel injection (Bug or Birdcatcher) on blown applications only. Adjustable heime end design and needle bearings for smooth throttle operation. **E-76-GVIHL**

Tunnel Ram Linkage Kits

Everything needed for mounting **Dual Carbs** on a Tunnel Ram ***Side-Saddle.***




Selection & Prices

E-75-107 Ford 351C **E-72-2000** SBC
E-75-220 Ford 460 **E-71-1000** BBC

Carb Linkage Kits






Blower Linkage Kits

For dual Holley double-pumpers, Dominators, Predators & Carters mounted ***Side-Saddle.*** Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-76-107**

For dual Holley vacuum secondary, Dominators, Predators & Carters mounted ***Inline*** on a 8 9/16 center-to-center distance. Includes adjustable heime-end design and needle bearings for smooth throttle operation. **E-55-501**

Determine Correct Cable

1. Select The Housing Style
2. Measure the Length (Tip to Tip)



Custom Length Cables?
No Problem!

24" Throttle Cable (Carbs)



Stainless Steel
Adjustable

CC-UV-100-24 Nylon Housing ..
CC-UV-200-24 Stainless Steel ..

*** Cables can easily be Shortened ***



18' Chute Cable


Stainless-Steel Center Wire

C-8501

Lever, Pivot & Half round billet clamp.

Cable Brackets

Billet Aluminum & Lightweight





a. **C-8512** Billet Half Clamp
a. **C-8510** Billet Chute Clamp
b. **C-8507** Chute Pivot
c. **C-8515** Billet Full Clamp
d. **C-8520** Swing Hook Clip

The Choice of the Pros in Top Fuel & Alcohol

- *** Threaded Male 10-32 Both Ends**
- *** Grooved or Bulkhead Housing**
- *** Stainless Steel Inner**
- *** Heavy Duty Quality**

Control Cables

In Stock from: 24" to 168"
(Other lengths Available)

Grooved

Grooved Housing on Both Ends.

CC-173VGG-3



Bulkhead

Double-Nut ***Bulkhead Housing*** on One or Both Ends.

CC-173VGT-3
CC-173VTT-3



Tee-Handle

Grooved Housing on Engine end. ***Tee-Handle*** w/ Double-Nut ***Bulkhead Housing*** on Driver's End.

CC-86V33-3



Length

Length	*Groove*	*Bulk Head*	*Tee Handle*
2 Foot (24")			
3 Foot (36")			
4 Foot (48")			
5 Foot (60")			
6 Foot (72")			
7 Foot (84")			
8 Foot (96")			
9 Foot (108")			
10 Foot (120")			
11 Foot (132")			
12 Foot (144")			
13 Foot (156")			
14 Foot (168")			

B&M Shifter Cable

CC-CA248

Eyelet Goove to Bulkhead



Micro Adjust

CC-26V33DF-3



Micro-adjust cables are perfect for applications where a locking cable is desired (marine, high vibration, etc) Can be locked at partial travel. Incorporates a push-release button for easy adjustment.



Cable Ends

a. **CC-003BALL** Ball only 10-32 threads
a. **E-4011BS** Ball only SS 10-24 threads ....
b. **CC-175-403-003Q** Q.D. Ball Joint w/ 10-32
c. **CC-175-403-0024** Q.D. SS Ball Joint w/ 10-24
d. **CC-165-172-307A** Round Knob 10-32 ..
e. **CC-CREF-3-3** Female Heime10-32 ....
f. **CC-PCH-100** Aluminum Lever .....

Billet Case Show Quality Blowers!

6.71 to 14.71



More Sizes, Prices & Info!

The Blower Shop superchargers are some of the finest on the market. Their **BILLET case** is superior to cast casings and has a show polished finish.

Proven successful in professional motorsports including: **Drags, Marine and Tractor Pulling, Mega Trucks, Salt Flats**

Competition race blowers are Hard Anodize, has 18 Strips of Teflon and Drilled for Rear Nozzles.

Blower Gel

Penetrating gel with Teflon is designed to lubricate and coat the rotors of Standard Roots superchargers. This formulated gel adheres to the rotors creating tighter tolerances thus, resulting in higher efficiency and increased boost levels.



Gas E85 Alcohol Nitro

PRIZM G-3150
PENNE G-3152



Blower Drive Kits

Street Rods * Marine * Drag Racing Tractor Pulling * Mud Boggers

Our Blower Drive Kits are some of the finest on the market. Show-Quality & Precision Machined.

Most kits include: Drive Kit, Manifold, Bolts, All Gaskets & Tech Support.

Drive Kits are in Stock!



Blower Spacers



B-7220



B-7222

CAST

Manufactured from ***cast*** aluminum and designed to raise the blower 4 inches. ***Includes:*** Gaskets and Aluminum Studs.

BILLET

Machined from ***Billet*** aluminum and designed to raise the blower 2 inches (can be stacked). O-Ring Groove on top. ***Includes:*** O-Ring, Anodized Studs, Stainless Steel Washers and Nuts.

B-7234




B-7232



Blower Manifolds



B-7104 SB Chevy Race



B-7174
BAE Fathead

TBS-2573
LS Chevy Rectangular Port w/ Hardware



SBC

B-7102 SB Chevy **Street** Large Port. All Hardware Including Alum Studs
B-7103 SB Chevy **Street** Weiand. Includes Pop-off Valve
B-7104 SB Chevy **Race** Large Port. All Hardware Including Alum Studs

BBC

B-7112 BB Chevy **Race** Std. Machined for burst panel. All Hardware Included.
B-7113 BB Chevy **Street** Weiand Std deck. Pop-off valve. Hardware Included
B-7116 BB Chevy **Street** Standard deck. Pop-off valve. Hardware Included
B-7118 BBC **Street TALL** deck. Pop-off valve. All Hardware Included

FORD

B-7123 A460 **Street or Race**

HEMI

B-7153 331-392 **Street** Weiand
B-7174 BAE Fathead Std & .100 blocks

Polishing Available on Most Intakes


Standard Features Include:

* Raised tented floor for improved airflow.
* Solid sides for added strength and rigidity.
* Competition models has port nozzle provisions.
* Most will accept 6.71 through 14.71



B-7112
Drilled for Port Nozzles
Machined for Burst Panel
BB Chevy Race w/ Hardware

2.25" Setback



.450 Thick Billet Alum

B-7255 Retro Plate w/ Hardware



Blower Studs
Lengths: 2.1 - 6.5"

Blower Manifold Components

a. **B-7200** Swivel Thermostat Housing
b. **B-5120** External Thermostat Housing
c. **B-5020** Steel Mounting Bolt Kit
d. **B-5025.K** Alum Blower Stud Kit
e. **B-5026.K** *Above* with 12pt Nuts
f. **B-7010** SBC 12pt Manifold Bolts
f. **B-7015** BBC 12pt Manifold Bolts
g. **B-7030** KB Hemi Bolts (Set of 16)
h. **B-7035** BAE Fathead Studs (Set of 6)

Huge Selection & Prices!

Premium Burst Panels B-5100

SFI Approved. Very popular on Top Fuel & Blown Alcohol Engines. Small & Large



2pc Aluminum Frame Kit B-5102

Designed to mount burst panel onto a blo manifold. Includes 24 Stainless-Steel bolt



Frame Kit w/ Studs B-5104.10

Allows one to quickly replace a Burst Panel when necssary. Outer Frame 4ea Studs (10-32 x 10-24) & Jet Nuts.



Burst Panel Adapters B-5110

Aluminum adapters can be either welded or bolted on a blower intake. Ideal for applications where there is not enough surface for the standard pc frame kit. Accepts Large Panels.



Burst Deflector B-5112

Billet aluminum deflector diverts explosions either up or down away from fuel lines and other fragile components. Has depth gauge provision for measuring panel expansion.



Drive Ratio Chart

8 & 11mm



BOTTOM PULLEY

TOP PULLEY

	43	44	45	46	47	48	49	50	51	52	53	54	55	56
47	9.3	6.8	4.4	2.2	1.0	-2.1	-4.1	-6.0	-7.2	-9.6	-11.3	-13.0	-14.5	-16.1
48	11.6	9.1	6.7	4.3	2.1	1.0	2.0	-4.0	-5.9	-7.7	-9.4	-11.1	-12.7	-14.3
49	14.0	11.4	8.9	6.5	4.3	2.1	1.0	-2.0	-3.9	-5.8	-7.5	-9.3	-10.9	-12.5
50	16.3	13.6	11.1	8.7	6.4	4.2	2.0	1.0	-2.0	-3.8	-5.7	-7.4	-9.4	-10.7
51	18.6	15.9	13.3	10.9	8.5	6.3	4.1	2.0	1.0	-1.9	-3.8	-5.6	-7.3	-8.9
52	20.9	18.2	15.6	13.0	10.6	8.3	6.1	4.0	2.0	1.0	-1.9	-3.7	-5.5	-7.1
53	23.2	20.5	17.8	15.2	12.8	10.4	8.2	6.0	3.9	1.9	1.0	-1.9	-3.6	-5.4
54	25.5	22.7	20.0	17.4	14.9	12.5	10.2	8.0	5.9	3.8	1.9	1.0	-1.8	-3.6
55	27.9	25.0	22.2	19.6	17.0	14.6	12.2	10.0	7.8	5.8	3.8	1.9	1.0	-1.8
56	30.2	27.3	24.4	21.7	19.1	16.7	14.3	12.0	9.8	7.7	5.7	3.7	1.8	1.0
57	32.5	29.5	26.7	23.9	21.3	18.8	16.3	14.0	11.8	9.6	7.5	5.6	3.6	1.8
58	34.8	31.9	28.9	26.1	23.4	20.8	18.4	16.0	13.7	11.5	9.4	7.4	5.5	3.6
59	37.2	34.1	31.3	28.3	25.5	22.9	20.4	18.0	15.7	13.5	11.3	9.3	7.3	5.4
60	39.5	36.4	33.3	30.4	27.7	25.0	22.4	20.0	17.6	15.4	13.2	11.1	9.1	7.1
61	41.8	38.6	35.6	32.6	29.8	27.1	24.5	22.0	19.6	17.3	15.1	13.0	10.9	8.9
62	44.2	40.9	37.8	34.8	31.9	29.2	26.5	24.0	21.6	19.2	17.0	14.8	12.7	10.7
63	46.5	43.2	40.0	37.0	34.0	31.1	28.6	26.0	23.5	21.2	18.9	16.7	14.5	12.5
64	48.8	45.5	42.2	39.1	36.2	33.3	30.6	28.0	25.5	23.1	20.8	18.5	16.4	14.3
65	51.2	47.7	44.4	41.3	38.3	35.4	32.7	30.0	27.5	25.0	22.6	20.4	18.2	16.1
66	53.5	50.0	46.7	43.5	40.4	37.5	34.7	32.0	29.4	26.9	24.5	22.2	20.0	17.9
67	55.8	52.3	48.9	45.6	42.6	39.6	36.7	34.0	31.4	28.8	26.4	24.1	21.8	19.6
68	58.1	54.5	51.1	47.8	44.7	41.7	38.8	36.0	33.3	30.8	28.3	25.9	23.6	21.4
69	60.5	56.8	53.3	50.0	46.8	43.8	40.8	38.0	35.3	32.7	30.2	27.8	25.5	23.2
70	62.8	59.1	55.6	52.2	48.9	45.8	42.9	40.0	37.3	34.6	32.1	29.6	27.3	25.0

13.9mm/14mm
1/2” Pitch: 25-44T



How to select your Belt & Pulley Sizes

BOTTOM PULLEY

TOP PULLEY


	25	26	27	28	29	30	31	32	33	34	35	36	37
25	1.0	-3.8	-7.4	-10.7	-13.8	-16.7	-19.4	-21.9	-24.2	-26.5	-28.6	-30.6	-32.4
26	4.0	1.0	-3.7	-7.1	-10.3	-13.3	-16.1	-18.7	-21.2	-23.5	-25.7	-27.8	-29.7
27	8.0	3.8	1.0	-3.6	-6.9	-10.0	-12.9	-15.6	-18.2	-20.6	-22.9	-25.0	-27.0
28	12.0	7.7	3.7	1.0	-3.4	-6.7	-9.7	-12.5	-15.2	-17.6	-20.0	-22.2	-24.3
29	16.0	11.5	7.4	3.6	1.0	-3.3	-6.5	-9.4	-12.1	-14.7	-17.1	-19.4	-21.6
30	20.0	15.4	11.1	7.1	3.4	1.0	-3.2	-6.2	-9.1	-11.8	-14.3	-16.7	-18.9
31	24.0	19.2	14.8	10.7	6.9	3.3	1.0	-3.1	-6.1	-8.8	-11.4	-13.9	-16.2
32	28.0	23.1	18.5	14.3	10.3	6.7	3.2	1.0	-3.0	-5.9	-8.6	-11.1	-13.5
33	32.0	26.9	22.2	17.9	13.8	10.0	6.5	3.1	1.0	-2.9	-5.7	-8.3	-10.8
34	36.0	30.8	25.9	21.4	17.2	13.3	9.7	6.3	3.0	1.0	-2.9	-5.6	-8.1
35	40.0	34.6	29.6	25.0	20.7	16.7	12.9	9.4	6.7	2.9	1.0	-2.8	-5.4
36	44.0	38.5	33.3	28.6	24.1	20.0	16.1	12.5	9.1	5.9	2.9	1.0	-2.7
37	48.0	42.3	37.0	32.1	27.6	23.3	19.4	15.6	12.1	8.8	5.7	2.8	1.0
38	52.0	46.2	40.7	35.7	31.0	26.7	22.6	18.8	15.2	11.8	8.6	5.6	2.7
39	56.0	50.0	44.4	39.3	34.5	30.0	25.8	21.9	18.2	14.7	11.4	8.3	5.4
40	60.0	53.8	48.1	42.9	37.9	33.3	29.0	25.0	21.2	17.6	14.3	11.1	8.1
41	64.0	57.7	51.9	46.4	41.4	36.7	32.3	28.1	24.2	20.6	17.1	13.9	10.8
42	68.0	61.5	55.6	50.0	44.8	40.0	35.5	31.3	27.3	23.5	20.0	16.7	13.5
43	72.0	65.4	59.3	53.6	48.3	43.3	38.7	34.4	30.3	26.5	22.9	19.4	16.2
44	76.0	69.2	63.0	57.1	51.7	46.7	41.9	37.5	33.3	29.4	25.7	22.2	18.9
45	80.0	73.1	66.7	60.7	55.2	50.0	45.2	40.6	36.4	32.4	28.6	25.0	21.6

Good Vibrations Motorsports

Professional Products at Sportsman Prices!

Extensive Belt Selection Online

800/576-7661







Gates

In Stock!

3" Belts listed.
Other widths in Stock

Blower Belts

Good Vibrations stocks one of the largest selection of BILLET blower pulleys & belts in the world !



1/2 Pitch

Street/ Race < 15% OD

510H300
540H300
550H300
560H300
570H300
585H300
600H300
630H300
660H300
700H300



8mm & GT

Street/ Race < 35% OD

1280M75
1360M75
1440M75
1520M75
1600M75
1696M75
1760M75
1896M75

GT Street/ Race > 35% OD

1440M75GTC
1440M75PS
1512M75GT2
1600M75GTC
1600M75PS
1792M75PS



14mm & GT

Street/ Race > 35% OD

1400M75
1568M75GTC
1568M75GTPS
1610M75 ....
1610M75KEV
1610M75PS
1694M75 KEV
1694M75PS
1750M75GTC
1778M75
1778M75KEV

13.9mm

1543M75

STAR RACER™
StarRacer.com
THE NEXT GENERATION BLOWER BELT HAS ARRIVED.

Billet Alum Blower Pulleys

In Stock @ Discouted Prices!

* Pulleys are 3.5" wide with 2" center register.
* **Billet 6061** aluminum and **T-6** heat treated.

Hard anodizing is standard on:
8mmGT, 11mmGT, 13.9 and 14mm/ GT pulleys.

Huge Selection ONLINE

Center Flange



8, 11 & 14mmGT

Ratios > 35%



2 or 2.25" Hole

1/2 Pitch

Ratios < 15%
Sizes: **26-44**



8mm

Ratios < 35%
Sizes: **42-71**



8mmGT

Ratios > 35%
Sizes: **42-80**



11mmGT

Ratios > 35%
Sizes: **32-53**



13.9mm

Ratios > 35%
Sizes: **25-45**




14mm & GT

Ratios > 35%
Sizes: **25-46**

Blower Gaskets

These premium gaskets are race tested and proven in Top Fuel/ Alcohol & Blown Gas.



Blower Base

G-2022 6.71
G-2022.3 *3-Pack*
G-2028 8-10.71
G-2028.3 *3-Pack*
G-2032 14.71
G-2032.3 *3-Pack*

Re-Usable!



Blower Inlet

G-2012 Small w/o Screen
G-2012.3 *3-Pack Special*
G-2014 Small w/ Screen
G-2014.3 *3-Pack Special*
G-2016 Large w/o Screen
G-2016.3 *3-Pack Special*



B-5019 Inj Hat Stud Kit

Blower Front Cover







G-2058 Blower Snout



Blower Bearings (ea)
G-3312 Rear
G-3314 Front

Blower Seals (ea)
G-3300 Standard .....
G-3302 Oversize .....
G-3304 Shaft Saver ..

Bearing/Seal Kits (4ea)
G-3320 Street
G-3322 Race

Blower Snouts
G-2060 Seal 1.125
G-2062 Seal 1.25
G-2061 Bearing 1.125
G-2063 Bearing 1.250

Bearings & Seals

Blower seals are heavy duty, double-lipped teflon and designed for extreme temperature and pressure. Bearings are long-lasting, premium quality.



G-3020 3/32
G-3022 1/8
G-3023 1/8 O/S
G-3024 3/16




BUNA O-Ring Material

Ideal for sealing Manifolds, Heads, etc..

Gas - E85 - Alky - NITRO

Belt Guards & Components

Machined from 6061-T6 Billet Aluminum
Offer Protection of Fuel & Oil Lines
Polished or Black Finish



a. **B-5410** Top Guard, Roots & Screw w/ Starter Mount
b. **B-5420** Top Guard, Roots & Screws w/o Starter Mount
a. **B-5460** Top Guard, 3-Hole SSI, PSI w/ Starter Mount
b. **B-5460** Top Guard, 3-Hole SSI, PSI w/o Starter Mount









BILLET Aluminum Guard Components

c **B-5500** Face Plate only w/ Starter Mount
d **B-5500** Tow Bracket
e **B-5516** Top Mount w/ Side Mount Provision (RH)
e **B-5512** Top Mount w/ Side Mount Provision (LH)
f **B-5525** Side Clamp
g **B-5528** Side Mount Clamp Hardware Kit
h **B-5527** Side Mount Quick Pin
i **B-5553** Side Plate 3" Wide x 18" or 22"
j **B-5520** Side Support Stand
k **B-5545** Side Support Stand Spacer 1-hole .500"
l **B-5530** Side Support Stand Pedestal 3-hole
m **B-5532** Side Support Pedestal Spacer 3-hole .250"
n **F-BH-325** Side Support Bolt 5.50" - 7.00"
o **B-5040** Starter Dog. Roots (Steel)
p **B-5042** Starter Dog. PSI Blowers (Steel)
q **B-5213** Mounting Kits 1.75" - 4.00"



BILLET Aluminum Belt Gaurds

Bolts Right on! **No Add't Hardware Required**

Billet Aluminum
Stainless-Steel Fasteners
Polished or Black Finish



Roots & Screws .....
B-5006 Polished


3-Hole SSI, TBS & PSI ...
B-5015 Polished

LENGTHS:
6, 7.5, 8.5, 10, 12"

Blower Components


a


b


c


d


h

Extensive Listing Online!

a. **B-5026.K** Blower Stud Kit 2.5” w/ 12pt Nuts
Longer Aluminum Studs Available 3.00 - 7.00
b. **B-5080** Blower Pulley 12pt Bolt Kit 3/8 (6ea)
c. **B-5020** Blower Mount Bolt Kit Steel (8ea)
d. **B-5038** Aluminum Blower Turning Plate
e. **B-5136** Pressure Relief Valve 7/16 Alum Black
f. **B-5135** Pressure Relief Valve 1/8 Stainless Steel
g. **B-5138** Oil Level Sight Gauge Lexan 1/4 NPT
h. **B-5140** Billet Tri-Plate Kit w/ Bolts & Oring


g


e


f

Blower Snouts

Drive Snouts are machined from billet aluminum. Has double ball bearings and HD oil seal. 48-Tooth spline shaft is made from heat-treated 4100 steel.



Street Snouts (1.125” shaft)

Street Snouts are Polished !

B-5300 Street Snout 3.90”
B-5310 Street Snout 5.75”
B-5302 Coupler for above
B-5317 Street Snout 8.125”
B-5319 Coupler for above

From



Race Snouts (1.250” shaft)
B-5340 Race Snout 3.90”
B-5342 Coupler for 3.90”
B-5350 Race Snout 5.25”
B-5352 Coupler for 5.25”
B-5360 Race Snout 6.00”
B-5362 Coupler for 6.00”
B-5370 Race Snout 7.00”
B-5372 Coupler for 7.00”

Includes: O-Ring, Grade 8 Bolts & Washers







Good Vibrations Motorsports is proud to be the Presenting Sponsor of the California Independent Funny Car Association (CIFCA)



James Maher, piloting his Junior Vibes FC, brought the CIFCA circuit back to life.

Front Cover

Billet Aluminum
6061-T6

B-5220 All-Round
B-5224 Half-Round Corners
B-5228 All-Square Corners

Fits most brands of blowers



Machined Finish
Show Polished

Rear Bearing Plates

BILLET Aluminum

All-Round



TBS-1160

All-Square



B-5258 Satin
B-5258.P Polished

Includes: Heat-Treated dowels & Bearing Caps (pr).

Front Bearing Plates

B-524

BILLET Aluminum
All **Square** Corners

Includes Dowels



Chromoly Crank Hubs

Tested & Proven in Top Fuel and Alky!

Hubs are designed to replace your harmonic balancer. Machined from 4100 steel and broached for 2 keyways.

B-2040 SBC Int Bal 3/16-1/4 Keys
B-2041 SBC Int Bal w/ V-Groove
B-2042 SBC Ext Bal 3/16-1/4 Keys
B-2053 BBC Int Bal 3/16-1/4 Keys
B-2054 BBC Int Bal Dual 1/4 Keys
B-2051 BBC Int Bal w/ V-Groove
B-2055 BBC Ext Bal 3/16-1/4 Keys
B-2056 BBC Ext Bal Dual 1/4 Keys
B-2060 Hemi 426 PSI Spline
B-2061 Hemi 426 RCD Spline
B-2064 Hemi 426 Dual 1/4 Keys
B-2066 Hemi 426 Internal Brng Sppt
B-2090 Early Hemi 331-417
B-2080 Ford 429-460 Dual 1/4 Keys


Internal Balance

From


External Balance


Hub with optional Degree Ring Installed

More Hubs & Prices


Int Bearing Support 426 Hemi


Crank Hub w/ V-Groove


426 Hemi PSI/ RCD Spline


429-460 Ford

Billet Crank Hub Degree Rings


Standard

Billet Aluminum
6.375 or 7.00" Diameter
1 Degree Increment
Scalloped Design

w/o Magnets .....
B-2032 6.375" **B-2034** 7.00"
with Magnets ...
B-2033 6.375" **B-2037** 7.00"


Offset

Offsets (7.00" diameter)
B-2035 .500 Offset w/o magnets
B-2039 .500 Offset w/magnets
B-2038 Center Offset w/ magnets



Don't own a scalloped crank hub?
No problem.
These rings will work on standard hubs with a 2" center register.
B-2032.NS 6.375 **B-2034.NS** 7.00"

Degree Ring Adaptor **B-2030**

Allows one to adap the above scalloped degree ring to a non-scalloped crank hub. Has popular 2" male register.



Crank Bolts


7/16 1/2 3/4

Chrome-Moly Steel
Black Oxide Finish
Gun Drilled
Heat-Treated

Chevy
Hemi
Ford

Billet Crank Washers

Chromoly. Perfect Fit
SB & BB Chevy & Mopar



ID:
.500 .750

Minimize Crankshaft Flex & Bearing Damage

Bearing Problem? *Get Support!*



Chrome-Moly Crank Hub
Billet Aluminum Plate & Standoffs

Bearing Supports



B-2435 Support SBC
B-2455 Support BBC
RCD-202600-0004 Support 426 HEMI
RCD-202800-0002 Support Early HEMI

Prices & Tech

Long Crank Hubs for Bearing Support

B-2046 Hub SBC 3/16 & 1/4 Keyways
B-2057 Hub BBC 3/16 & 1/4 Keyways
B-2058 Hub BBC Dual 1/4 Keyways
B-2067 Hub 426 HEMI Dual 1/4 Keyways
RCD-202803-0020 Hub 331-417 HEMI



Crank Triggers

100% coverage foil-shield, twisted pair cable for max noise rejection. Covered with fire-sleeve. The coil is precision wound on a nylon bobbin for long life. Employs a separate 16" ground wire for shielding and max radio frequency and electromagnetic noise rejection.

Can be trimmed to fit and grounded to the chassis or motor. Highest quality ***gold-plated terminals*** in the plug ensures the connection stays corrosion free. Pickup sensors have a smooth diameter and fit perfectly in 3/8" pickup holders.



I-3118 Pickup Straight 18"
I-3126 Pickup Straight 26"
I-3218 Pickup 90 Deg 18"
I-3226 Pickup 90 Deg 26"
I-3102 Extension Cable 24" or 36"
MSD-8154 Threaded Straight 24"

Online Parts & Technical

Trigger Brackets



Brackets are machined from billet aluminum. Mount to right (passenger) or left side (driver). Utilizes the smooth or threaded Pickup Holders.





I-3310 SBC *Right*
I-3312 SBC *Left*
I-3314 BBC *Right*
I-3316 BBC *Left*
I-3318 Hemi *Right*
I-3320 Hemi *Left*



Alum Spacers
I

Pickup Holders

Crank Trigger Pickup Holders are machined from billet aluminum and are designed to hold the 3/8 **threaded** or **smooth** pick-ups.



Mounting Hardware
Premium
FI-5126 ...



SBC



Black



BBC & Mopar



I-3300 3/8 Smooth -SBC
I-3303 3/8 BBC, HEMI, Etc

Billet Pointers

Pointer Assembly is machined from billet aluminum and allows precise reading of the engine timing.
NHRA Legal for Top Fuel/ Alky
Fits: HEMI covers
Also fits most Crank Trigger Brackets **B-2024 ....**



Machined from billet aluminum and is adjustable. Will work on 6 3/8 or 7in degree ring. Allows for precise reading of engine timing. Includes mounting hardware. One of the nicest pointers on the market.



Adjustable !

B-2020 SB Chevy **B-2022** BB Chevy

V-Groove Pulleys

V-Groove Pulleys are machined from billet 6061-T6 alum. Has a 2" register and bolts directly to crank hub with 6 bolts. Can be stacked together for PS, AC, etc...





B-2205 Single V-Groove Pulley
B-2211 Single V-Groove **Adap** SBC
B-2221 Single V-Groove **Adap** BBC
B-2212 Dual V-Groove **Adap** SBC
B-2222 Dual V-Groove **Adap** BBC
B-2210 Serpentine - Crank Hub
B-2215 Serpentine - SBC
B-2225 Serpentine - BBC



Adapter-style pulleys bolts directly to balancers. Available in Single or Double V-Grooves & 5 and 6.25" diameter.

Blower Pulley Spacers

Allows one to easily align both upper and lower blower pulleys.

2" or 2.25" Center Register



Billet 6061-T6 Alum
6-Hole Pattern
Widths: .300 - 1.40"

Pulley Bolts

12pt or Socket Head
3/8-16 & 3/8-24
Variety of Lenghts





B-5080

Accessory Pulleys

B-2230 Water Pump SBC
B-2233 Water Pump BBC
B-2236 Lower Pulley BBC
B-2240 Alternator SB Chevy
F-312-1000SS SS WP Bolt
Fits ***Short*** Water Pumps

Billet Aluminum





Uppers are Polished

Billet Idler Pulleys and Brackets



3.25 or 4.5in Diameter

Billet Idler Pulley

Machined from 6061-T6 alum. Feature an offset double ball bearing allowing for further spacing from bracket. Crowned center helps keep blower belt centered.

Available:
Machined Finsih
Show Polished
Anodized Black



B-6092 2" wide x 3.25"
B-6095 3" wide x 3.25"
B-6096 3" wide x 4.50"
B-6097 3.3" wide x 3.25"

Includes: Idler Pulley, Alum Standoff and Washer.

Idler Pulley Spacers

Billet Aluminum & Anodized



Spacer Widths
.400 to 1.400

Tee Nut

Offset allows for more adjustment



B-6090 .75
B-6091 1.00

Engine Mounted Kits

Includes: Polished Alum Bracket, Water Standoffs (Drilled & Tapped AN8), Mounting Spacers & Bolts, Idler Bolt & Chromoly T-Nut.


B-6041 SB Chevy Kit
B-6051 BB Chevy Kit

B-6040 SBC Bracket Only
B-6050 BBC Bracket Only



Outboard Support Kit BBC & Hemi

Includes: Alum Bracket, Outboard Support, 3.10 or 3.35" Idler Pulley, .750 Bolt, 1.00in T-Nut and Hardware.



Mount for Dunn Offset Mag Drive





B-6065 Hemi Kit
B-6055 BB Chevy Kit
B-6067 Dunn Mount

Blower Mounted

Billet L-Shape bracket mounts directly to the front of most roots blowers.

Complete Bracket Listing Online





Kit Includes: Bracket, T-Nut, Bolts and Alum Standoffs.

B-6000 Bracket
B-6001 Standard Kit ..
B-6002 Long Kit .....

Long Kits include .700 spacer & longer bolt.

Bracket Spacers

Billet Aluminum .375 ID

Lengths:
.25 .75 1.00 1.50 2.00 2.375

Large Variety of Applications



Swing Arm



Billet Swing Arm Bracket clamps to snouts Also allows one to adjust the idler pulley For and Aft.

B-6007 Street Arm 3.375 ID
B-6008 Comp Arm 3.525 ID
Idler Bolt 5/8-11 x 4"

Hemi Engine Mounted Bracket



392 Hemi



426 Hemi

Mounts to Engine Block. 3/4" Aluminum Prevents Warpage.

B-6060 426 Hemi
RCD-156206-09 392 Hemi


HEMI Outboard Support Bracket Angled w/ T-Nut.

Includes Mounting Hardware



B-6062 Hemi (BAE, KB, TFX, etc...)

Carb Scoops





Fits Blowers & Most Tunnel Rams

Scoops are replicas of the famous Bugcatcher Injector. Designed to fit single or dual carbs. Highly polished with anodized butterflies.

Complete with Mounting Hardware and Filters!

ACC-2522 .. Smooth **ACC-2520 ..** Ribbed

Dual Carbs:

Hilborn-Style

Hilborn-style scoops are designed for single or dual carbs on **Tunnel Rams & Blowers.** Polished (or Black) Finned or Smooth top. ***Includes:*** Adjustable mounting hardware, front screen & filter(s).







Shotgun

ACC-2527 Single Carb
ACC-2525 Dual Carb
ACC-2523 Shotgun-Style

Blower Only Scoops



Polished aluminum ***Dual Carb*** scoop for **Standard** four-barrel style carbs ***mounted inline*** or ***side-saddle*** on 8 5/8" centers. (Won't fit most Tunnel Rams)





B-9070 Dual Carb Blower Scoop
B-9072 Above w/ Filters
B-9072.BLK Black w/ Filters
B-9074 Filter w/ Top, Stud & Nut

Carb Adapter Plates







Dual four barrel carb adapter plate for a 6.71 or 8.71 blower. Accepts two **Standard** Holley carbs sidesaddle or Carter carbs inline on an **8-5/8** center to center. Holley carbs without secondary metering plates may be run inline.
Dominator carb plate is at **8-3/4** center to center.
B-9050 Standard


Single four barrel carb adapter plate for 6.71 or 8.71 blower. Accepts **Standard** Holley and Carter four barrel carbs or **Dominator.**
B-9052 Standard **B-9054** Dom

Includes: Billet Plate, All Gaskets, Cadium Plated Bolts & Washers.

Stainless-Steel Carb Plumbing



Bridle



Dual Lines

Premium Quality

3/8" seamless ***Polished Stainless-Steel*** tubing with anodized aluminum fittings (or SS) for two double pump carbs mounted sidesaddle. Includes carb fuel inlet to AN6 fittings and provides a AN6 Tee fuel connection per carb to supply fuel to both carb bowls.

Works on blowers and tunnel rams

4150 Dual Lines
B-9201 Blue
B-9202 Black
B-9200 SS

4150/Demon Bridle
B-9221 Blue
B-9222 Black
B-9220 SS

4500 Dual Lines
B-9207 Blue
B-9208 Blac
B-9206 SS

4500 Bridle
B-9227 Blue
B-9228 Black
B-9226 SS

Demon Dual Lines
B-9204 Blue
B-9205 Black
B-9203 SS

Billet Fuel Rail
B-9256



Dual Holleys

Stainless-Steel Carb Plumbing

Dual Holleys mounted Side Saddled.



Single AN8 Inlet

Great Price!

B-9260 .. 4150
B-9262 .. Demons
B-9264 .. 4500



KING RACING

High Performance Bearings

Proven effective on circle track engines running at 8000rpm, on Top Fuel Blown Engines producing 5500HP as well as on high performance street vehicles. Alecular material offers an extremely high temperature threshold and high load capacity.

Need more bearing info?

Main Bearings

MB-557HP-STD	350 SBC STD 1/2 Groove
MB-557HP-001	350 SBC .001 1/2 Groove
MB-557HP-010	350 SBC .010 1/2 Groove
MB-557HP-011	350 SBC .011 1/2 Groove
MB-557HP-020	350 SBC .020 1/2 Groove
MB-557HP-STDX	350 SBC .001 Oversize 1/2 Grve
MB-509HP-STD	400 SBC STD Half Groove
MB-509HP-010	400 SBC .010 Half Groove
MB-509HP-020	400 SBC .020 Half Groove
MB-509HP-STDX	400 SBC .001 Oversize Half Grve
MB-5163HP-020	400 SBC .020 Full Groove
MB-5163HP-030	400 SBC .030 Full Groove
MB-556HPN-STD	BBC STD 1/2 Groove
MB-556HPN-001	BBC .001 1/2 Groove
MB-556HPN-010	BBC .010 1/2 Groove
MB-556HPN-011	BBC .011 1/2 Groove
MB-556HPN-020	BBC .020 1/2 Groove
MB-556HPN-030	BBC .030 1/2 Groove
MB-556HPN-STDX	BBC .001 Oversize 1/2 Groove
MB-5164HP-STD	BBC STD Full Groove
MB-5116HP-STD	440/426 Hemi STD 1/2 Groove
MB-5116HP-010	440/426 Hemi .010 1/2 Groove
MB-5650HP-STD	BBF STD 1/2 Groove
MB-5503XP-STD	FORD 351C STD 1/2 Groove
MB-5503XP-010	FORD 351C .010 1/2 Groove

Note: HP part numbers are being replace with HPN


Rod Bearings

CR-807HPN-STD	350 SBC STD w/o Dowel
CR-807HPN-001	350 SBC .001 w/o Dowel
CR-807HPN-010	350 SBC .010 w/o Dowel
CR-807HPN-020	350 SBC .020 w/o Dowel
CR-807HPN-STDX	350 SBC .001 Oversize w/o Dowel
CR-803HPN-020	327 SBC .020 w/o Dowel
CR-807HPND-STD	350 SBC STD w/ Dowel
CR-807HPND-010	350 SBC .010 w/ Dowel
CR-807HPND-020	350 SBC .020 w/ Dowel
CR-807HPNDSTDX	350 SBC .001 Oversize w/ Dowel
CR-807HPND-010X	350 SBC .009 w/ Dowel
CR-807HPND-020X	350 SBC .019 w/ Dowel
CR-803HPND-STD	302 SBC STD w/ Dowel
CR-808HPN-STD	BBC STD w/o Dowel
CR-808HPN-001	BBC .001 w/o Dowel
CR-808HPN-010	BBC .010 w/o Dowel
CR-808HPN-020	BBC .020 w/o Dowel
CR-808HPN-STDX	BBC .001 Oversize w/o Dowel
CR-808HPND-STD	BBC STD w/ Dowel
CR-808HPND-001	BBC .001 w/ Dowel
CR-808HPND-010	BBC .010 w/ Dowel
CR-808HPND-011	BBC .011 w/ Dowel
CR-808HPND-020	BBC .020 w/ Dowel
CR-808HPND-STDX	BBC .001 Oversize w/ Dowel
CR-806HPND-STD	440/426 HEMI w/ Dowel
CR-806HPND-001	440/426 HEMI .001 w/ Dowel
CR-806HPND-010	440/426 HEMI .010 w/ Dowel
CR-874HPN-STD	BBF STD w/o Dowel


Why Use King Bearings?

* Improved consistency of bearing-to-journal clearance, so you never have to worry about King bearings having the right fit within a set.
* Superior eccentricity and crush relief values for a better oil “wedge” and less journal wear.
* Decreased taper across the bearing face, yielding superior wall stability, a more parallel wall and better oil film development.
* No need to grind cranks “fat” or “thin” to compensate for bearing wall variations.

KING RACING



Total Seal Gapless Piston Rings



As a normal ring wears, the gap opens up allowing combustion gasses to escape. The Total Seal Gapless ring has no gap. Instead, its patented design incorporates a 2-part interlocking ring to close the gap and provide a more perfect seal between the piston and cylinder.



Keeps Leakdown to 2% or Less!

WHY Total Seal Piston Rings?

-Improved Consistency
-Cleaner Engine Oil
-Better Oil Control
-Less Friction
-Wilder Torque Curve
-More Engine Vacuum
-Less Blowby
-Longer Engine Life

Increased Horsepower and Torque
Lower Engine Oil Temperatures
Saves Money (Fewer Teardowns)

Not sure if Total Seal gapless rings are right for you? Compare the facts and then decide.

Gapless 2nd RACE Sets

1/16 1/16 3/16

4.035 TS-T3690.35
4.065 TS-T3690.65
4.155 TS-T0690.30
4.255 TS-T9190.05
4.285 TS-T9190.35
4.315 TS-T9190.65
4.355 TS-T6490.35
4.385 TS-T6490.65
4.445 TS-T9190.195
4.505 TS-T9190.255
4.567 TS-T9130.5
4.605 TS-T9150.5

Leakdown Tester

Dual Gauge w/ 14mm Hose
Professional Grade **T-2002**



Assembly Lube

8oz
TS-AS



Tapered Ring Compressor

Heat Treated Anodized Alum



Fixed Sizes: ***4.030 - 4.625***
Adjustable Available also



.017 Dykes 1/16 3/16

4.255 TS-T1702 5
4.285 TS-T1702 35
4.315 TS-T1702 65
4.380 TS-T1702 130
4.505 TS-T1702 255

Other Sizes in Stock

Quick Seat

TS-QS



Ring Expander

Highly Recommended for Intsalling Rings
T-2025



Manual Ring Filer

T-2020
Bench Mounted



Electric Ring Filer

Files rings simply, quickly and accurately. A must tool for the serious auto enthusiast.

T-2021 .. 110V
T-2022 .. 220V



We are proud to be the Title Sponsor of the DragParts.com Blown Alcohol Thunder.
Funny Cars, Altereds & Dragsters



Empowering Racers Since 1989

Good Vibrations Motorsports


Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Fabricated Valve Covers

Fabricated from 6061 alum and welded with billet rails. Designed for the hot rodder who demands a higher quality valve cover with extra room for valve train.

ACC-2324 SB Chevy .....
ACC-2335 BB Chevy .....
ACC-2364 SB Ford .....
ACC-2384 BB Ford .....
ACC-2342 SB Mopar .....
ACC-2344 BB Mopar 440 ..



SBC

With or w/o Hole



BBC



440 Mopar



SBF

426 Hemi

Stage V Single-Plug
High Quality Cast Aluminum
Relieved for larger retainers
Use Stock Spark Plug Tubes
Very popular with Top Fuel & Alky
Fits most ***late model*** aftermarket heads

Prices



Polished ACC-2353



Powder Coated ACC-2354

Fabricated 426



Fabricated from 6061-T6 Aluminum Billet Rails.

ACC-2356



ACC-2357

Spark Plug Tubes

Fits Most Late Model HEMI Covers
Aluminum
Includes EPR O-Rings

Hemi Dual Plug Alum Valve Cover Block Offs

For those running dual plug covers with single magneto.

Set of 8
ACC-2358



Hemi Dual Plug Head Block Offs

14mm. Blocks off the 2nd park plug hole in the head.

Set of 8
ACC-2358





HEMI VC Stud Kit

Flange Washers
20 Pcs
F-VC-HEMI ..

T-1008
7/16
Socket





SB Ford



BB Chevy

Valve Covers

Cast Aluminum

Tall for Clearance
Show Polished
Recessed & Baffled
Hole for Breather

ACC-2320 SB Chevy 283-350
ACC-2330 BB Chevy 396-502
ACC-2360 289-351W 5.0L Ford
ACC-2300 Wing Nut 1/4-20x4in



SB Chevy

Valve Cover Gaskets



See page 49

BUY
SELL
TRADE

DragParts.com

We Pay Cash!

Quick-Connect Burndown Tubes

Anodized Aluminum
Positive Locking
Heat-Treated Flanges



Angled Hemi
C-7152



Also Available 10 Degrees *Left*



NHRA
IHRA
Approved


Straight
C-7150



Polished Aluminum Upright Breathers w/ 1.25" Ends
Includes: **Gaskets & 12pt Bolts**
C-7197 Tubes (pr)

Flat Breather Hose

Fits 1.25 to 1.50" hose.
Lightweight
B-5126 Grey



Clear Breather Hose

Works with all fuels.
B-5125 1.250"



GRIME BOSS Hand Wipes

Tough on Messes
Safe on Skin
Citrus Scented
Replaces Rags

"This ain't no baby wipe"



GV-P1360 60 count .....
GV-P1360.8 Case 480 count

Heavy Duty Tire Covers

FC, Altereds, Doorslammers

*** Premium 13oz Quality Vinyl**
*** Brass Grommets**
*** Includes Suction Cups**
*** Reinforced Border**





Keep Tires Constant Temp & PSI
T-3400 White
T-3405 Black



PIT MAT USA

Prices

***Resistant to Oils**
***Easy to Clean**
***Grommets**
***Mold Resistant**
***Flame Resistant**

4 X 6 Mini	13 lbs
10 X 10	25 lbs
10 X 20	43 lbs
Most Popular Sizes:	
10 X 30	71 lbs
12 X 30	85 lbs
15 X 30	97 lbs
12 X 40	102 lbs
15 X 40	127 lbs



Pitmat is an exclusive material that can be used on a variety of surfaces including ***gravel, dirt, grass, concrete and asphalt***. Primary purpose is to provide a clean, durable and comfortable surface to park and maintain your vehicle while at the track or at the shop.

High Quality Fasteners in Stock


12pt Nuts


Locking Nuts


12pt Bolts


Studs

Grade 8
Grade 9
8740 Chromoly

Flywheel & Flexplate Bolts



- **Blower Pulley Bolts**
- **Crank Hub Bolts**
- **Valve Cover Studs**
- **Oil Pan Studs**
- **Allen Socket Head**
- **12pt Nuts & Bolts**
- **Flex Plate Bolts**
- **Flywheel Bolts**
- **Header Studs**

1000's in STOCK!

Steering Wheels & Boxes


C-7255


C-7295

Quality Steering Components for Funny Car, Altered or Dragster.

Steering wheels are CNC machined, not stamped, from heat-treated aluminum. ***Includes:*** Switch tab and ergonomic grips.

C-7250 B-Fly Steering Wheel w/ Tab
C-7250.D Above ***pre-drilled*** for QR hub
C-7255 B-Fly Steering Wheel w/ Tab & Grips
C-7255.D Above ***pre-drilled*** for QR hub
C-7261 B-Fly Steering Wheel Grips -Red
C-7262 B-Fly Steering Wheel Grips -Blue
C-7267 B-Fly Steering Wheel Grips -Polished
C-7295 Aluminum Switch Panel





C-7292

4 Hole

C-7290

3 Hole

PRO-WERKS



C-7290 3 Bolt Q.R Steering Hub 1/4" SFI
C-7292 4 Bolt Q.R Steering Hub SFI
C-7296 Splined Coupler 5/8-36
PW-C42-512 Brake Lever 18in w/ Pol Grip
PW-C42-507 Brake Lever Shutoff Lever

FC/Altereds Front Brake Kits

Includes Mounting Hardware!



Designed for the PS/ Anglia style spindle popular on Funny Cars and Altereds.

Wilwood Master Cylinders are high pressure die-cast from aerospace quality aluminum & fully machined.

W-140-3326 FC/ Altered Front Kit
W-260-4894 Master Cylinder Dual
W-260-6764 Master Cylinder 3/4"
W-260-6765 Master Cylinder 7/8"
W-260-6766 Master Cylinder 1"
W-260-13706 Residual Valve 2psi
W-120-2498 Front Caliper Dynalite
W-120-6818 Rear Caliper Dynalite
W-160-1602 Drilled Rear Rotor
W-150-1251K Front Pads Round Spot
W-150-9764K Front Pads Square
W-150-8850K Rear Pads






Steering Box Dragster

CNC machined from alum & hi-strength steel.
Weighs less than 2lbs!
11" eye-to-eye.


C-7115

Ideal for Dragsters

Premium Chassis Tabs



Over 99 % of all race parts sold by Good Vibrations Motorsports are proudly made in the USA with superior material & excellent quality control.

Carbon Steel 1/8 Thick

a. **C-8152.5** Double Sided 3/8 hole
b. **C-8150L.5** Single Sided LH
c. **C-8150R.5** Single Sided RH
d. **C-8154.5** Universal 3/8 hole

Chromoly 1/8 Thick

a. **C-8186.5** Double Sided 3/8 hole
e **C-8184.5** Universal 3/8 hole
f. **C-8182.5** Universal 3/8 hole

Sold in *5 Packs*

Hi-Quality Rod Ends



Male & Female
Left & Right
Hand

Easy Ordering



Don't trust your Race Car to inferior brands

Female *Right Hand*	**Male** *Right Hand*
CREF-3-3 **10-32**	CREM-3-3 **10-32**
CREF-4-4 **1/4-28**	CREM-4-4 **1/4-28**
CREF-5-5 **5/16-24**	CREM-5-5 **5/16-24**
CREF-6-6 **3/8-24**	CREM-6-6 **3/8-24**
CREF-7-7 **7/16-20**	CREM-7-7 **7/16-20**
CREF-8-8 **1/2-20**	CREM-8-8 **1/2-20**

Female *Left Hand*		**Male** *Left Hand*
CREF-3L-3 **10-32**		CREM-3L-3 **10-32**
CREF-4L-4 **1/4-28**		CREM-4L-4 **1/4-28**
CREF-5L-5 **5/16-24**		CREM-5L-5 **5/16-24**
CREF-6L-6 **3/8-24**		CREM-6L-6 **3/8-24**
CREF-7L-7 **7/16-20**	*Call*	CREM-7L-7 **7/16-20**
CREF-8L-8 **1/2-20**	*Call*	CREM-8L-8 **1/2-20**

Good Vibrations Motorsports is proud to be a sponsor at Idaho's premier motorsports facility.


Make plans to attend one of their races. Invite a Friend!

Premium DZUS Fasteners

10 Packs

a **C-83010.10** Steel .550 Button .....
b **F-DZR-ADR-50.10** Steel Allen ...
c **C-83013.10** Steel Backing Plate ....
d **C-83015.10** Steel Spring .....
e **C-83017.10** Doubler Round .....
f **C-83018.10** Doubler Square .....

Installation Video



Self Ejecting (SE) DZUS

10 Packs

f **C-83020.10** SE Button Assy .....
g **C-83023.10** SE Backing Plate ....
h **C-83025.10** SE Steel Spring .....



Dimpling Tool



Professional way to dimple your sheet metal for DZUS.

C-83005 .....



C-83007 **DZUS Wrench**

Engine Floating Saddle Mount

Tig Welded Chromoly
Fits 1-1/2in Tubing

Dragsters, Altereds, Funny Cars





C-8190 Floating Saddle Mount .....
C-8201X SS Band Clamp 1.5 -

Line Clamps (Packs of 10)



C-LC

3/16 1/4 3/8 1/2 3/4

Hi-Torque Starters

Ideal for High Comp and Supercharged Engines

Hi Torque Inc. IMI Performance Products

View Complete Selection Online!

US Patented



Chevy

4.40 to 1 Gear Reduction
534 ft./lbs. Torque!
Lightweight (8.8lbs)
Compact and Adjustable
Heat-Resistant Solenoid
(No Hot Start Problems)



Ford



Pontiac/ Olds

New!



VW Porsche



Mopar



Diesel 12 & 24V

Guaranteed with a Warranty !

Up to 4.5KW!

CHEVY

IMI-102 Chevy 1.3hp
IMI-102N Chevy 1.9hp
IMI-902 Chevy 2.0kw
IMI-22103 Chevy 2.2kw
IMI-935 Chevy 2.0kw Offset
IMI-301-003 Chevy Marine

PONTIAC/ OLDS

IMI-108 Pont/Olds 1.3hp
IMI-108N Pont/Olds 1.9hp
IMI-908 Pont/KB Olds
IMI-141R KB Olds 1.4kw

FORD

IMI-106 Ford 1.3hp Auto
IMI-107 Ford 1.3hp Manual
MI-906 Ford 2.0kw Auto

MOPAR

IMI-109 Mopar 1.3hp
IMI-909 Mopar 2.0kw

VW/ PORSCHE

IMI-101 VW-Porsche 1.3hp
IMI-101N VW-Prsche 1.9hp
IMI-104 VW Vanagon 1.9hp
IMI-105 VW 6 Volt Flywheel

Diesel

IMI-25002-002R Farmhall 3
IMI-25208-001 Farmhall 2 bolt

Blower Starter Battery Pack & Parts

ACC-3116 48 Volts BLLET Lithum Battery Pack w/ Charger
ACC-3115 48 Volts BLLET Battery Pack w/ Charger
ACC-3115.120 Battery Charger (120 or 240V)
B-5060 Premium Copper Battery Cables 15ft
B-5046 Anti-Tipover Foot Alum
B-5047 Quick-Disconnect Battery End
PW-C72-029 Pull Handle for QD end
B-5048 Premium Momentary Toggle Switch
ACC-3110 BILLET 18 Volt Battery Mount



48 Volts BILLET Battery Pack
ACC-3115 (68lbs) or
ACC-3116 Lithium (9lbs) !















Too Fast? We Can Stop You!

Drag Chutes

Over a Dozen styles to choose from !!

*Black * Red * Blue*

DJ-851252 Super Quad (et, sg, sc, ts, td)
DJ-851067 Doorslammers up to 2500#
DJ-851070 Pro Mod & Blown Alcohol
DJ-851070.2 Above with Launcher
DJ-851079 Top Fuel Dragster/ FC
DJ-851424 BOAT: Blown Gas or Alcohol
D-30470 Nylon Pack 7x7
DJ-852999 Nylon Pack 9x9
DJ-852996 Silver Pack 9x9
DJ-852809 Pilot Chute Heavy Duty
DJ-852200 Release Cable with Lever
DJ-852005 Pilot Bridle Line 5ft
DJ-852809 Pilot Loop (Requires 4)
DJ-911341 *"Remove Before Run"* Flag



How to Pack a Chute

Chutes Include: Quad Cross-Form Canopy, Pack, Pilot and Bridle Line.

Coldfire 302 Fire Systems

Coldfire302 is a harmless plant & water based fire suppressing agent. Is especially effective in Class B fires (Oil/fuel). Also suitable for wood & paper fires. Coldfire Suppresses quickly, prevents reflash, safe to store and leaves virtually no residue. Biodegradable and environmentally safe.





More Cables on Pg 15



We stock Complete Systems for Most Classes & Applications.

Systems & Parts Online

On-Board Systems

Accepted by Most Sanctioning Bodies

DJ-911050 5lb Sys
DJ-911100 10lb Sys
DJ-911100.FC 20lb

DOT & SFI Approved

Bottles Can be Recertified & Refilled

Components

a. **DJ-911327** Manual Injector
b. **DJ-911328** Mnl Injector & Brckt
c. **DJ-911329-2** Pull-Style Adapter
d. **DJ-911329** Pneumatic Injector
e. **C-8420** Mounting Bracket 5.25
f. **DJ-911311** Nozzle & Fitting Kit
DJ-911101 10lb Bottle Only
DJ-911312 10' Alum Tubing 1/4"
g. **CC-86U04** Remote Cable *from* 3ft

Seat Belts and Harnesses

DJ Safety offers over 100 combinations of 5pt Seat Harnesses.
Options Include: Latch/ Link design or Quick-Release (CamLock) 2" or 3" wide. ***3 Styles of Attachment:*** Wrap-around, Bolt-in or Snap-in.

View Online Selection


Cam


Latch



SFI 16.1
Also Available in 6 & 7pt

Colors:
Black
Red
Blue

Seat Belts Out-of-Date?


5pt Latch/Link style ... *most*
w/ Fire Protective Covering
5pt Cam Lock style
w/ Fire Protective Covering
Rewebb & Recert ..... *most*
w/ Fire Protective Covering


Cam Lock

Buckle Styles


Latch/Link

Belt Mounting Options



a. Snap-In
b. Bolt-In
c. Wrap-Around

Shoulder Pads

D-70200 2" Slip-On Pads Nomex
DJ-603050 3" Fire Retardant Pads

Sold in Pairs




Shoulder pads are available as Slip-Ons or Sewn-In. ***Great Driver Comfort.***

Window & Wheelie Bar Nets

DJ-221721 Angular 17x21
DJ-221824 Square 18x24
JAZ-906-03 Installation Kit
DJ-220001 Wheelie Bar 48"



Dual Wheels or Single Tripod Wheelie Bars




***SFI* 27.1**



Premium Seatbelt Hardware

Hardware is made of high quality steel for that extra measure of safety you are looking for and deserve.



a. **DJ-600105** Snap-In Kit w/ Hardware
b. **DJ-600304** Floor Mount Kit w/Hrdwr (pr)
c. **DJ-600402** 3-Bar Adjuster 2" (pr)
c. **DJ-600403** 3-Bar Adjuster 3" (pr)

Arm Restraints



Arm Restraints have a velcro closure and are adjustable in length.

DJ-605009 Arm Restraints

SFI 3.3

Good Vibrations Motorsports

Professional Products at Sportsman Prices!

Blow Restraint/ Diaper

Discounted Safety Equipment !

800/576-7661

14.1 Blower Restraints

Billet **6061-T6** Aluminum
Silver Aluminized Straps or,
Black Nomex Straps
SFI 14.1 Re-Certifiable.



Fresh Dates!

B-7360 Restraint w/ Hardware. Silver
B-7362 Restraint w/ Hardware. Black
B-7395 Mounting Hardware Kit (4ea)
B-7396 Blower Restraint Pin - Steel
B-7390 Straps Only - Silver
B-7392 Straps Only - Black





14.2 Blower Restraints



Ideal for those wanting extra protection around the blower.

Fresh Dates!

B-7350 Restraint w/ Bag & Hardware
B-7310 Ballistic Bag SFI 14.2 .....
B-7314 Ballistic Bag NON-SFI .....
B-7395.5 Mounting Hardware Kit (5ea)

Billet **7075-T6** Aluminum
Silver Aluminized Straps
Quick-Disconnect Pins



DJ-141000 Restraint w/ Hardware SFI 14.1
Restraint Only, No Hardware SFI 14.1
DJ-141998 Re-Certification SFI 14.1
DJ-141002 Adjustable Silver Straps (4ea)
DJ-141900 Mounting Hardware w/ pins
DJ-142007 Top Alcohol Restraint with Kevlar Ballistic Bag and Steel Hardware. SFI 14.2





Sportsman Engine Diapers

Cleanable Absorbant Pads.
Q.D. Adjustable Straps.
Attaches to **Frame or Headers**
Ballistic Nylon.

S-70030





NHRA Approved

Available: BBC, HEMI and other popular engines

Snap-in Absorbant Pads.
Q.D. Adjustable Straps.
Tailored Fit.
Ballistic Nylon.

DJ-730281 SB Ford
DJ-730350 SB Chevy
DJ-730454 BB Chevy
DJ-730426 426 Hemi



Most Other Makes in Stock!

Pro Engine Diapers



Adjustable quick-release buckles attaches to the header flanges.
Reusable Snap-in Absorbant Pads.
Wet & Dry Sump. Can be recertified.

DJ-711001.bal Soft Ballistic Nylon
DJ-711002 Soft Kevlar (shown)
DJ-710002 Carbon Fiber Bucket
DJ-710401 Replacement Pads (pr)

TF/TA Legal — ***SFI 7.1***

Plug Wire Shield

Protect ***spark plug wires*** in the event of a burst panel or blower back-fire.



DJ-070200

Trans Blankets



Multiple layers of Ballistic material to capture exploding shrapnel.

Perfect Fit
Water - Oil Resistant
Dozens in Stock
Custom Available
Re-certifiable !

DJ-801012 Powerglide
DJ-801014 Turbo 350/400
DJ-801126 Lenco Reverser (only)
DJ-801124 Lenco 2spd w/Rev
DJ-801152 Lenco 3spd w/Rev
DJ-801181 B&J 3spd w/Rev

Prices & Selection

Most other Makes in STOCK!

Nomex Driving Suits

Standard Suits are one solid color with contrasting trim.

Sizes: S-XXL
Colors: Black Red Blue

DJ Safety sfi /20 suits can be recertified every 5 years!

Complete Selection

Options:
Arm Restraints
Kool Pad Pockets

1pc or Separate Jacket and Pants



SFI 1 Suits (1 Layer)
DJ-011200 Jacket
DJ-011300 Pants
DJ-011100 1pc Suit .

SFI 5 Suits (2 Layer)
DJ-012200 Jacket
DJ-012300 Pants
DJ-012100 1pc Suit

SFI 20 Suits (4 Layer)
DJ-014200 Jacket
DJ-014300 Pants
Sewn-in Restraints

Driving Boots





Feature padded Kevlar lining and velcro closure.

Sizes: 6-13 in Full Sizes
Colors: **Black Red Blue Gray**

DJ-050000 sfi 3.3/5 Shoes
DJ-051000 sfi 3.3/20 Boots

Driving Gloves

Leather Palm Gloves offer excellent protection while maintaining a high level of comfort.

DJ-022000 Nomex sfi 3.3/5
DJ-024100 Nomex sfi 3.3/20



Colors
Black
Red
Blue

How to Measure Glove Size

Lay hand flat with fingers and thumb together.
Measure circumference at widest point.
9" =Sml, 10" =Med, 11" =Lrg, 12" =XL


Heavy-Duty Race Car Tiedowns

Webbing is 1.75" wide. Burst Strength: 5,000lbs
Snap-in J-Hook Ends. American Made!


a. **DJ-236201.12** Inline Ratchet Tiedown
b. **DJ-236205.8** w/ Sewn-In Axle Loop
c. **DJ-238044** Flush Mounted D-Ring
d. **DJ-237224** Heavy-Duty Axle Strap 24"
DJ-241202 Heavy Duty Tow Strap 14'

Online Tiedowns

Don't trust your race car to inferior brands !



12ft



Roll Bar Padding

SFI 45.1



3' Length

Black Red Blue

Made of high-density foam.

3/4" thickness

Roll Bar 1.50-1.75" .....
Helmet Bar 1.00-1.25" .....



Flat Padding

24 x 12in
High-Density Foam

Black
1" thickness

US-1224 ...

Kool Vest

Top Seller!

Keeps driver or crew member comfortable for upwards of an hour. Thin vest easily fits under driver's suit. Has one pad on upper back and one on each kidney.



D-03520 ... S-XXL
D-03520-3 Extra/Replacement Kool Pads

Head & Neck Restraint

NecksGen Head and Neck Restraint System features an innovative tether design that distributes impact loads through 4 different load paths. Adjustable rear brace designed to fit seat angles from 10-40 degrees. Adjustment range also allows for a custom fit to the driver. Free floating pads allow for maximum comfort, while the US-made Dupont carbon-composite material offers strength and weight savings.

NECKSGEN AHEAD IN NECK PROTECTION

SFI 38.1





DJ-606803 Medium **DJ-606807** Large

Head Socks/ Underwear

Head Socks are designed to be worn under the helmet. These soft nomex knit hoods provide an extra measure of protection. Nomex underwear are also soft and gives a driver a few extra critical seconds of time.



Black or White

D-03211 1 Layer Sock
DJ-062002 2 Layer, *sfi* 3.3
DJ-060000 Top S-XL
DJ-061000 Pants S-XL
DJ-063040 Socks



Nostalgia Mask

DEIST SAFETY

Made of Aluminized Silver
Includes Breathers!
NON-sfi

D-83110-SIL



Heat Sleeves

MECHANIX

Features 100% heat-resistant woven Kevlar fabric, extra long sleeve protects arm above the elbow, oil and fuel resistant, snug fit allows comfortable fit.



MG-05-902



Good Vibrations Motorsports is the proud
Series Sponsor of the Nitro Breathing OFAA

Equipment Bags

DJ

Made from a high quality rip-stop nylon. Internal padding. 3 pockets.



Helmet Bag
DJ-036010

Gear Bag
DJ-070410



Aircraft Legal Carry On Size !

Helmet Supports

Velcro Closure
SFI Approved



DEIST SAFETY **DJ-040009** DJ

Tapered For Comfortable Fit



Norman Wheeldon
Newtown Powys, United Kingdom

You just found those Hard-To-Find Tools !!

Cam Degree Installation



Makes degreeing a cam a lot quicker and easier. This fixture attached to the block over cylinder #1 using two of the block studs (or bolts). An adjustable stop is included for helping determining top-dead center. Simply install a dial indicator into either the intake or exhaust hole of the fixture.

T-1115 SBC **T-1116** BBC **T-1117** HEMI **T-1119** 392

Valve Lash Adjuster



Quickly and accurately adjust your valves with this custom tool. Machined from stainless-steel for durability with choice of 7/16, 1/2 or 9/16 hex.

Fits SBC, BB, Mopar & Fords.

1/8 7/32 3/16 hardended Tip.

Stainless Steel

T-1125 7/16 Hex. **T-1126** 1/2 Hex. **T-1128** 9/16 Hex.

Main Cap Puller



The bottom-end guy sure appreciates this main cap slide puller. The 5/16 heat-treated threads are easily threaded into the main cap using the slip-proof knurled knob. A simple tug of the tool allows the cap & lower bearing to drop safely into your hand. A great asset for between round thrashes. Also great to have at the shop.

T-1103 2.5 lbs

T-1100 4.5 lbs

Rod-Piston Pusher T-1131


Here is a tool that allows one to safely and quickly install or remove the rod-piston combo out of the block. The pointed end of The Pusher is simply inserted into one of the two threaded holes in the connecting rod. The bend in the shaft allows easy navigation around the crankshaft journal. The diver with hot oil dripping onto his face will thank you profusely.



Billet Alum

Top Seller!

Hemi Top Dead Center Checker



T-1134

Wanna' check your top dead center like a pro? Then grab one of these. Simply thread the checker into Cylinder #1 of your Hemi and rotate the crank until the dial indicator maxes out. A real time saver when trying to dial in a magneto or camshaft at the track.

Adjustable Pushrod Kit



Ideal to have when determining new pushrods lenghts

MNT-630

Push Rod Straightness Checker



Valve train failure is normally catastrophic and a bent push rod can be attributed as a culprit in many instances. A pushrod out-of-round as little as .010 will begin to flex. I'm sure you have seen the wear marks on the sides of your pushrods. With the Pushrod Checker, simply insert the pushrod into the spring-loaded end, rotate 360 degrees and quickly check the roundness of a pushrod to less than .001.

T-1120 BBC **T-1121** Fathead **T-1122** Hemi Fuel

Push Rod & Piston Pin Straightness Checker

A piston pin failure is catastrophic. Period. And checking their roundness was always a challenge. Now there is a cool tool that allows you to check the pin's roundness to less than .001 thousands in less 5 seconds. And that all adds up to NO kaboom. Also checks all Pushrods under 13".

Clear Anodized Billet Aluminum

SBC, BBC, Fords HEMI, Fatheads

T-1133



Billet Primer Bottle Top



Machined from BILLET Alum and precisely drilled to allow correct flow of fluid during priming of a blown alcohol or nitro engine. Fits most plastic bottles. A Must Have! **T-1005**

Sizes
4.187 - 4.500



Puck

Sleeve Puller

Sleeve puller is designed to quickly remove steel cylinder sleeves out of the engine block. Large loop handle grip protects one's hand from getting pinched by the slip-proof slide hammer. Puck can be replaced. Very popular with top fuel and alcohol teams.

T-1098



Sleeve Installer

Sleeve installer is a quick and efficient way to install steel cylinder sleeves into the engine block. One size fits most sleeves. Very durable and rugged. Popular with top fuel and alcohol teams.

Chevy Oil Pump Primer



T-2030

Engine Oil Pump Primer with sleeve. Inserts into distributor hole to prime the engine with oil prior to initial startup. Fits most V8 GM engines

---

Valve Spring Compressor



T-1140

Valve Spring Compressor is one of the strongest on the market and is machined from 6061 BILLET Aluminum. This Spring Tool is designed to handle All-Out Racing Springs with more than 400lbs of seat pressure. This Spring Compressor kit comes with 3 different spring cups that accommodate a range from 1.250in up to 1.675in diameter.

Billet Aluminum Wrench Sets



T-1160 Single End AN3-12

T-1180 Double End AN3-20

Need Just One? Single Wrenches Available

Adjustable AN Wrench

Protect the anodize on your AN Hose Ends. Knurl Thumbscrew. Minimizes chance of over-tightening.



T-1150 AN3-8
T-1152 AN3-20

The newest member of the family is the mini. Great to have in your back pocket when you're on the starting line or if you need to get in tight spaces. **T-1154**

Fits ***AN3-8***



Valve Spring Pressure Tester

Allows sone to check the valve spring pressure up to 500lbs while installed on the head. machined from BILLET aluminum for stength and anodized for ease of maintenenace



T-1170 BAE FAT
T-1172 Miner Bros

Cylinder Head Work Stand

Adjustable arm allows one to set height and angle. Machined from BILLET aluminum for stength and anodized for ease of maintenenace



Steel (Shown)
T-1145 HEMI

BILLET Aluminum
T-1148 SB & BB Chevy, HEMI

Spark Plug T-Wrench



Spark plug T-handle wrench is machined from steel for strength and durability. Has a 13/16 socket with an internal rubber boot for holding spark plugs in place during assembly & removal. Very popular among sportsmen teams.

T-1004

Torque Spark Plug T-Wrench



Powder Coated

Save time and head damage. This torque wrench only allows the spark plug to tighten to a **pre-determined 17 ft/lbs** setting (adjustable). Machined from steel for strength and Very popular among Top Fuel & Alky.

T-1003 13/16 **T-1003-58** 5/8

"The Plug Gapper"



Quickly, precisely and accurately gap spark plugs. Billet Alum.

T-1001 Peanut Plug **T-1002** Regular

Spark Plug Storage Rack


Heavy-Duty, yet lightweight rack is designed to store 8 spark plugs safely and in order. Large flat anodized bottom keep the rack upright and easily cleans up. Can be used stand-alone or bolted to a work bench. Those that assemble the engine top end will truly appreciate this rack regardless if they're at the shop or in the pits.



T-1136 Holds 8 ..

Valve Cover Speed Wrench

T-1008
Steel



Great Deal!

T-Handle Valve Cover Speed Wrench is machined from lightweight steel (or polished Stainless-Steel) with a steel 7/16 socket. Conveniently helps to tighten or loosen valve cover nuts. Ideal for the racer looking to save time between rounds.

T-1006 Polished Stainless-Steel ..

Short Block Lift Bars



Makes it easy to lift the short block in & out of the frame rails. Slides over 2 head studs. Powdercoated Black (pair).

Fits: HEMI **T-3050**

Lower Crank Gear Installer



This tool allows one to safely install the crank gear onto the crankshaft. Has a knurl grip to prevent slippage and is heat-treated for durability. Will fit BBC, Hemi and other similar cranks.

T-1113

Crank Hub & Gear Remover



This tool allows one to safely remove the blower crank hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built toug. It also has a provision for removing the crank gear. Proven many times over by Top Fuel teams.

T-1112

Mag Timing Adjustment Wrench



Owners of MSD magnetos really appreciate this unique tool. The billet aluminum band remains clamped to the mag. The removable handle wrench allows for accurate adjustments of the mag while the engine is running. Very popular with Top Alcohol teams.

MSD Magnetos

T-1015 ..

Magneto Drive Remover



Designed to very quickly and safely remove the drive from a Mallory or MSD Magneto/ Distributor. It simply slips over and holds the 4-Pin or Hex Cross Drive so that one can remove the inner nut. No need to remove the magneto cap and hold the rotor. Ditto for installing the drive.

T-1017 ...

Injector Hat Tool Tray



Injector Hat Tool Tray is made from high grade aluminum and black powder coated for an attractive long-lasting finish. The tray has plenty of space for tools & also accommodates 16 spark plugs. Fits on top of Bug, Bird & Buzzard. **T-3020**

Valve Train Trays





Trays are made of a very light-weight yet rigid plastic with built-in handles. The valve tray holds valve springs, valve locks, and the largest of valves. The rocker tray holds push rods, lifters, poly locks, spark plugs and rocker arms. Perfect for the home mechanic or pro racer.

JAZ-735-001-06 Valve & Spring
JAZ-735-002-06 Rocker Arm & Lifter

Leakdown Tester



Premiums Gauges
Billet Aluminum Housing
Ideal for: ***Fuel Injection or Engine Cylinders***

Dual Gauge are ideal where air source is less than 100psi

T-2001 Single Gauge **T-2003** Dual

Rack 'em Up!

Piston & Rod



Safely hold and protect 8 Pistons & Rods during assembly. A must for t serious racer. **T-3003**

Head Repair



Here's a great rack to store your Valves, Lash Caps, Shims & Retainers during head repairs. Billet anodized aluminum bottom tray.

T-3009 ...

Lifter/ Push Rod



Just set this tray in your lifter valley and store your pushrods & lifters in order.

T-3013 ...

Clutch Loading



Rack is heavyduty yet light-weight. Holds discs and rotors. Designed by a racer for racers.

T-3004 3 Discs ..
T-3005 5 Discs ..




R U QUICK ENOUGH? *Good Vibrations sponsors the Quick Reaction Time bonus for these Series!*

CIFCA California Independent Funny Car Association
Supercharged Outlaws UK
Southwest Supercharged
Vintage 7.60 Association
Great Lakes Nostalgia Funny Car Circuit
Outlaw Fuel Altereds www.ofaa.net
Nostalgia AA/Gassers
DragParts.com Blown Alcohol Thunder Pro Comp Racing Series
ScottRods AA/GASSERS

Check out their Race Schedules

Why Use CPE Braided SS Hose ??





Proven & Trusted by Top Teams, Stainless Steel Braid provides Durability and Heat Resistance. Inner liner is composed of Chlorinated Polyethylene (CPE) which provides the great fluid transfer with a temperature range of -40 degrees to +300 degrees F.

Want BLACK Hose?



XR-31 for the same price as Braided SS hose!

Uses the same Hose Ends as the Braided SS Hose

XR-31 Hose is tough, yet lightweight, durable, abrasion-resistant and economical. 3-Ply construction. High tube strength allows a tight bend radius capable for tight engine compartments.

Discount Prices!

AN-4
AN-6
AN-8
AN-10
AN-12
AN-16
AN-20

Complete Products Prices Online

NHRA/ IHRA Accepted

Purosil Hose

Purosil Preformed Hose is very popular on **Top Alcohol** Fuel Systems.

Black or Blue



Ideal for Fuel Line from Tank to Pump



90 Deg Bend-Blue
X-390125 1.25 ID
X-390150 1.50 ID
X-390175 1.75 ID

3ft Straight -Blue
X-370125 1.25 ID
X-370175 1.75 ID

Fyre Jacket



Silver Silicone-Coated Glass can withstand temps up to 500 deg F. Easy Installation.

AN4 - AN12

Braided Stainless Steel TEFLON Hose



Braided Stainless Steel **TEFLON** Hose and Reusable Hose Ends are used in Brake, Clutch, Instruments and other applications where max high pressure protection is a must.

AN-3 X-610003...
AN-4 X-610004..

TEFLON Hose Ends



Steel

Str	**AN-3**	X-600003 ..
	AN-4	X-600004 ..
45	**AN-3**	X-604503 ..
	AN-4	X-604504 ..
90	**AN-3**	X-609003 ..
	AN-4	X-609004 ..

TEFLON Hose Assembly



We stock Pre-Assembled AN3 & AN4 Braided SS Teflon Hose Assemblies. Straights or 90 Deg Ends.

Lengths: **9" - 50"**

Stainless-Steel Tubing

Great for plumbing your Brake, Fuel or Fire System.



E-ST18 3/16
E-ST25 1/4
E-ST37 3/8
E-ST50 1/2

Seamless!!

Tube Nuts



Tube Sleeves



BLACK or BLUE
Works on Steel or Alum Hard Line.

AN-3	X-981803....	X-981903....
AN-4	X-981804....	X-981904....
AN-6	X-981806...	X-981906....
AN-8	X-981808....	X-981908....
AN-10	X-981810....	X-981910....
AN-12	X-981812....	X-981912....
AN-16	X-981816....	X-981916....

Flaring Tool

Also Deburs!



Roll-Flair flaring tool is designed specifically for hard-line tubing. Flares 37 degrees (true AN). Fits 1/8 to 3/4"

X-821050



Surseat Line Lapper

KT-P51

Removes irregularities
37 & 45 Degrees



Surseat Mini Lapper

Gets into Tight Spaces
37 & 45 Degrees

KT-P37 KT-P45

Push-On Hose



Hose From..

CPE elastomer tube, textile braid reinforced with CPE elastomer cover. Max operating temperature of 250°. ***Ideal for:*** Fuel, Air & Water.

Push-On Hose Clamp Hand Tool



X-818000

XRP Push-on hose clamp pliers. Specially designed for XRP hose clamps for ease of stallation and removal. Manufactured from steel with rubberized grips.

Most Hose Ends also Available in: **Black & Super Nickel**



Hose Ends

AN-4	100004
AN-6	100006
AN-8	100008
AN-10	100010
AN-12	100012
AN-16	100016
AN-20	100020

Swivel Ends allow one to position hose end after it has been installed on hose.

45 Degree



	Fixed	Swivel
AN-4	104504 ...	
AN-6	104506 ...	204506 ...
AN-8	104508 ...	204508 ...
AN-10	104510 ...	204510 ...
AN-12	104512 ...	204512 ...
AN-16	104516 ...	204516 ...
AN-20	104520 ...	204520 ...

90 Degree



	Fixed	Swivel
AN-4	109004 ..	
AN-6	109006 ..	209006 ...
AN-8	109008 ..	209008 ...
AN-10	109010 ..	209010 ...
AN-12	109012 ..	209012 ...
AN-16	109016 ..	209016 ...
AN-20	109020 ..	209020 ...

180 Degree



	Fixed	Swivel
AN-4	118004 ..	
AN-6	118006 ..	218006 ...
AN-8	118008 ..	218008 ...
AN-10	118010 ..	218010 ...
AN-12	118012 ..	218012 ...
AN-16	118016 ..	218016 ...

Hose Ends also Available in: **30, 60, 120 & 150 Degree**



Str

Hose & Fittings Blue or Black

90



AN4	X-230004	X-239004
AN6	X-230006	X-239006
AN8	X-230008	X-239008
AN10	X-230010	X-239010
AN12	X-230012	X-239012


Also in Stock: 30 45 60 120 150 180 Deg!

Hose Fitting Assembly


XRP xtreme racing products

Online Assembly


1. Wrap hose tightly with tape at cutting point. Using a fine tooth hacksaw, cable cutters or radiac wheel, cut the hose in the middle of the tape. Remove tape after cutting being careful not to fray the braid.




2. Slip hose into socket to the depth indicated by the hose insertion mark on the outside of the socket. This should be just short of the back of the threads. VERY IMPORTANT - Mark hose with tape or suitable marking device at rear of socket. This mark will later indicate to you if the hose has pushed out of the socket during assembly.



3. Using an anti-seize lubricant, liberally lubricate inside of hose and threads on the nipple. Holding nipple horizontally in a vise equipped with soft aluminum jaws, push socket end carefully with hose nipple with a turning motion and engage nipple threads into those of the socket. Continue tightening by hand as far as possible to make sure that the threads are properly mated and no cross threading has occurred.



4. Using an aluminum fitting wrench, finish tightening assembly. When properly assembled a small gap of .030" or less should exist between the socket and shoulder of nipple. NOTE: Check marks on hose in step 2 for any evidence of push out. Hose assembly must be cleaned and tested to twice the operating pressure.





Aluminum Vice Jaws

Vice Jaw inserts protect your hose ends during assembly. Each jaw has a magnetic backing to prevent them from falling out of the vice when opened.

X-821010

No more Bloody Fingers!

Assemble Braided Stainless Steel hose without poking your fingers. Ideal for racers and performance enthusiasts who have experienced the painful challenge of installing the AN socket.



How-To Demo

KT-468 3pc Kit AN4-6-8 .....
KT-681 3pc Kit AN6-8-10 ...
KT-1016 3pc Kit AN10-12-16
KT-416 6pc Kit AN4-16 .....
KT-409 Push-on Assy Press

Teflon Hose Separating Tool



Easiest way to assemble braided stainless steel AN3 & AN4 Teflon Hose.

X-821060

Professional AN Wrenches



2024 aluminum

AN3-20

Precisely sized for a perfect fit on AN fittings. Anodized in colors, XRP wrenches are fully radiused to fit your hand. Machined from heat treated.

XRP xtreme racing products

X-750000 Double End (4pcs
X-750001 Single End (8pcs)



Wild Thang'

DragParts.com

Good Vibrations Motorsports

Discounted Performance Warehouse!

AN Fittings

Extensive Online Fitting Selection

800/576-7661

Hex Pipe Plug



Internal hex for smooth finish and easy installation.

1/8	X-993202 (pr) .....
1/4	X-993203 (pr) .....
3/8	X-993204 (pr) .....
1/2	X-993205 .....
3/4	X-993206 .....

EPR O-Rings

Long Lasting - Won't Shrink

AN3	X-803003 .....
AN4	X-803004 .....
AN6	X-803006 .....
AN8	X-803008 .....
AN10	X-803010 .....
AN12	X-803012 .....
AN16	X-803016 .....
AN20	X-803020 .....



* packs of five

AN Flare Reducers



Female to Male

AN6-4	X-995006
AN8-6	X-995008
AN10-6	X-995010
AN10-8	X-995011
AN12-8	X-995012
AN12-10	X-995013
AN16-12	X-995017

Most Fittings are available in: **Red/ Blue, Black and Super Nickel**



Flare Plug



Port Plug



Flare Cap



Hex Nut

AN-3
AN-4
AN-6
AN-8
AN-10
AN-12
AN-16 X-981416..

Flare Adapters

AN-3	981503
AN-4	981504
AN-6	981506
AN-8	981508
AN-10	981510
AN-12	981512
AN-16	981516

AN Flare *Coupler*



4-3	991902
6-4	991906
8-6	991912
10-6	991914
10-8	991915
12-8	991919
12-10	991920
16-10	991922
16-12	991923
20-12	991925
20-16	991926

AN Flare *Reducer*



Black or Blue

Flare to Pipe Adapters


XRP xtreme racing products








Flare - Pipe	*Straight*	*45 Degree*	*90 Degree*
AN-3.....1/8	981603	982303	982203
AN-4.....1/8	981604	982304	982204
AN-6.....1/4	981606	982306	982206
AN-6.....3/8	981666	982366	982266
AN-8.....1/4	981607	982307	982207
AN-8.....3/8	981608	982308	982208
AN-8.....1/2	981688	982388	982288
AN-10....1/2	981610	982310	982210
AN-10....3/4	981613	982313	982213
AN-12....3/4	981612	982312	982212



AN *Thread Sizes*

XRP xtreme racing products



AN Size	Metal Tube O.D.	Thread Size
4	1/4"	7/16-20 UNJ
6	3/8"	9/16-18 UNJ
8	1/2"	3/4-16 UNJ
10	5/8"	7/8-14 UNJ
12	3/4"	1-1/16-12 UNJ
16	1"	1-5/16-12 UNJ
20	1-1/4"	1-5/8-12 UNJ




Male Flare to Female Swivel Tee



AN4	X-900304....
AN6	X-900306....
AN8	X-900308....
AN10	X-900310....
AN12	X-900312....
AN16	X-900316....

On Run



On Side

Fuel Pressure Take Off Adapters



Tapped 1/8 Pipe on the Hex


X-700192	-6 Male to -6 Male .....
X-700194	-6 Male to 3/8" Male NPT .....
X-700195	-6 Male to -6 Female Swivel ....
X-700196	-8 Male to -8 Male .....
X-700198	-8 Male to 3/8" Male NPT .....
X-700199	-8 Male to -8 Female Swivel .....
X-700202	-10 Male to -10 Female Swivel

Hose Finishers



Anodized Aluminum
Stainless-Steel
Worm Clamp

AN4	X-550104 .....
AN6	X-550106 .....
AN8	X-550108 .....
AN10	X-550110 .....
AN12	X-550112 .....



Stop by the Good Vibrations Racer Support Trailer at Selective West Coast Races.

Female Swivel Coupler



AN6	X-900104
AN6	X-900106
AN8	X-900108
AN10	X-900110
AN12	X-900112
AN16	X-900116

Female Swivel Coupler - *90 Deg*

AN4	X-929004 ...
AN6	X-929006 ...
AN8	X-929008 ...
AN10	X-929010 ...
AN12	X-929012 ...
AN16	X-929016 ...



Tube

AN6	X-929106 ...
AN8	X-929108 ...
AN10	X-929110 ...
AN12	X-929112 ...
AN16	X-929116 ...



Forged

Female to Male Swivel Adapters

Tube




45 & 90 Degrees
Sizes: AN4 -16
Great for Tight Spaces

Forged



Gauge Fittings



a b c d



e

Connect your Gauges to AN Hoses

a.	**X-705003**	AN3 Male Str to 1/8 Fem NPT
a.	**X-705004**	AN4 Male Str to 1/8 Fem NPT
b.	**X-795003**	AN3 Male Str to 1/8 Fem NPT
b.	**X-795004**	AN4 Male Str to 1/8 Fem NPT
c.	**E-248-3A**	AN3 Male Str to 1/8 Male NPT
d.	**E-248-3**	AN3 Male Str to 1/8 Male NPT
e.	**X-705093**	AN3 90 Deg to 1/8 Fem NPT
e.	**X-705090**	AN4 90 Deg to 1/8 Fem NPT

Also 1/4 NPT in Stock.

Swivel Pipe Adap



AN to Male Pipe
Straight or 90 Degrees



BILLET Aluminum Weld Bungs ... *Ideal for Fuel & Oil Systems*



AN Thread



	Female	Male
AN6	X-987106	X-997106 .....
AN8	X-987108	X-997108 .....
AN10	X-987110	X-997110 .....
AN12	X-987112	X-997112 .....
AN16	X-987116	X-997116 .....
AN20	X-987120	X-997120 .....



Pipe Thread



	Hex	Round
1/8	X-996701	X-996801 ....
1/4	X-996702	X-996802 ....
3/8	X-996703	X-996803 ....
1/2	X-996704	X-996804 ....
3/4	X-996706	X-996806 ....
1”	X-996708	X-996808 ....

What are AN ORB Adapters?

Male AN Flare to Inverse Male AN with an O-Ring.

High Contour Flow!



Straight

Anodized Black



45 Degree



90 Degree

AN3	X-980003
AN4	X-980004
AN6	E-815-6
AN8	E-815-8
AN10	E-815-10
AN12	E-815-12
AN16	E-815-16
AN20	E-815-20

ORB Reducer



E-919-6-8
E-919-6-10
E-919-8-10
E-919-8-12
E-919-10-12
E-919-12-16
E-919-16-20

Reducers are designed to reduce the inverse flare ORB side to a smaller male AN size. O-ring will be on the larger AN side.

ORB Expander



E-919-8-6
E-919-10-8
E-919-12-8
E-919-12-10
E-919-16-8
E-919-16-12
E-919-20-16

ORB Expanders are designed to expand the inverse flare ORB side to a larger male AN size. O-ring will be on the smaller AN side.

Aluminum Fill Caps



O-Ring

Bung Size .... 1.625, 2.00 & 2.75”
Threads ..... 1.25, 1.50 & 2.25”





Steel & Alum Weld Bungs



3.75”

Easy Turn Buna O-Ring



2.25 ID

JAZ Caps

Liquid Filled Pressure Gauge

Great for ***Oil*** or ***Fuel Pressure***, or ***Blower Boost***. **Liquid filled** for stability and longevity.

Shock Resistance !

X-710000 0-15psi
X-710030 0-30psi
X-710060 0-60psi
X-710100 0-100psi



1.50in Diameter

Intake Gaskets

Accu-Seal is the first choice of engine builders and race teams. Delivers precision fit, durability and economy all in one. **Pro** utilizes state-of-the-art materials such as ***proprietary steel core laminate with teflon coating, viton oil seals, and molded rubber*** for selected Oil Pan and Valve Cover applications.

SCE-111101 SBC 1.20 x 2.00 Port
SCE-111102 SBC 1.25 x 2.275 Port
SCE-111103 SBC 1.25 x 2.275 (1266) Thick
SCE-113102 BBC 1.8 x 2.5
SCE-113115 BBC 1.8 x 2.5 No Top bolt
SCE-113116 BBC 1.8 x 2.5 No Top bolt. Thick
G-2210 426 Hemi Stock Port 2.375
G-2212 426 Hemi Medium Port 2.75
G-2215 426 Hemi KB ALPE 6 Bolt
G-2215 426 Hemi KB ALPE 10 Bol
SCE-167101 392 Hemi Stock Port
SCE-167103 392 Lrg Stock ALPE 417 Don
G-2218.10 Hemi/BAE/TFX End Rail (10pr)


SCE-113102


SCE-111101
SCE-111102
SCE-111103

Sold in Pairs!


SCE-113115 SCE-113116


G-2210
G-2212

Silicone Ports

SCE-211101 SBC 1.20 x 2.00 Port (1256)
SCE-211102 SBC 1.25 x 2.20 Port (1205)
SCE-211128 SBC 1.30 x 2.24 Port (1206)
SCE-213102 BBC 1.80 x 2.50 Port (1211)
G-2247 BB Chevy 1.80 x 2.50 Port (1275)
SCE-213115 BBC 1.80 x 2.50 Port (1275)
SCE-218101 Big Chief/ Big Duke (1298)
SCE-267101 354-392 Hemi Fuel/ Alky


SCE-211128


SCE-213102


SCE-218101


G-2247

Oil Pan Gaskets

Superb Quality - Reusable
Gas - E85 - Alcohol - Nitro

PREMIUM **- Street/ Strip**
SCE-111091 SBC Pre 1974 Thin Front Seal
SCE-113090 BBC .090 Thick
SCE-113091 KB Olds .090 Thick
SCE-113092 Merlin Block, Large Stroke
SCE-167091 417 Hemi
G-2110 426 Hemi, KB, BAE
G-2114 TFX-92
G-2118 TFX-96



PROFESSIONAL Oil Pan Gaskets

*** Steel-Core**
***Teflon Coated**
*** Reusable**

All Fuels Including Nitro

SCE-211090 SB Chevy 1pc Molded Pre 1986
SCE-211092 SB Chevy 1pc Molded Post 1986
SCE-213090 BB Chevy 1pc Molded Gen 4
SCE-213091 BB Chevy 1pc Molded Gen 5-6
SCE-235091 BB Ford 1pc Molded
SCE-274090 481X Rodeck
SCE-266091 KB BAE Hemi
SCE-261091 TFX 92 Hemi
SCE-261092 TFX 96 Hemi

Engine Seals





	Front	Rear Viton
SB Chevy	SCE-11102	SCE-21105
BB Chevy	SCE-11302	SCE-21305
351W	SCE-13602	SCE-23605
BB Ford	SCE-13502	SCE-23505
SB Mopar	SCE-16902	SCE-16904
BB Mopar	SCE-16402	SCE-26405
417 Hemi	SCE-16702	SCE-16705
426 Hemi	SCE-16602	SCE-26605

Valve Cover Gaskets



PREMIUM **Rubber with Steel Core**

G-2320 SB Chevy .....
G-2325 BB Chevy .....
G-2330 SB Ford .....
G-2335 351C Ford ....
G-2340 428 Ford .....
G-2345 429-460 Ford
G-2305 SB Mopar .....
G-2355 330-455 Olds
G-2350 Pontiac .....



Re-Usable! ***Sold in Pairs!***


STREET/ STRIP **Laminated Cork/ Silicone**

SCE-211075 SB Chevy
SCE-213075 BB Chevy .125
SCE-213076 BB Chevy .250
G-2310 426 Hem

Seals where others won't

PROFESSIONAL **Steel-Core & Teflon Coated**

SCE-213078 BB Chevy
SCE-218078 Big Chief
SCE-218078 KB Olds
SCE-266075 KB BAE 1/4 holes
SCE-261075 KB BAE 5/16 holes
SCE-267077 Hemi Early



Superb Quality - Reusable

Gas - E85 - Alcohol - Nitro

Front Cover



Includes:

SCE-11100 SB Chevy
SCE-11300 BB Chevy
SCE-13600 SB Ford
SCE-13500 BB Ford
SCE-15200 351C Ford
SCE-16900 SB Mopar
SCE-16400 BB Mopar
SCE-16600 426 Hemi




Good Vibrations Motorsports is proud to be the Title Sponsor of the UNFC Series.

Premium Blower Gaskets

These premium gaskets are race tested and proven in Top Fuel/ Alcohol & Blown Gas.

Blower Base

G-2022 6.71 .....
G-2022.3 *3-Pack* .....
G-2028 8-10.71 ....
G-2028.3 *3-Pack* .....
G-2032 14.71 .....
G-2032.3 *3-Pack* .....



Re-Usable!

Blower Inlet

G-2012 Small w/o Screen
G-2012.3 *3-Pack Special*
G-2014 Small w/ Screen
G-2014.3 *3-Pack Special*
G-2016 Large w/o Screen
G-2016.3 *3-Pack Special*



B-5019 Inj Hat Stud Kit ..



Bearing & other Blower Gaskets... See Page 20

Carb Base Gaskets

Holley Carb gaskets are heat resistant and standard thickness. Will handle the rigors of ***supercharged*** engines.



G-2070 Carb Gasket
G-2072 Dom Gasket
SCE-355 4 Port Gasket



Empowering Racers Since 1989

Good Vibrations Motorsports

FREE Catalog!

Copper Gaskets[50]

www.DragParts.com

Benefits of Using Copper

Conductivity. Copper is the standard by which all other conductors are measured, therefore a copper gasket provides superior thermal conductivity, acting to stabilize head and block temperatures which makes tuning easier.

25% Coefficient of Elasticity. One of the properties of copper is that it stretches before a catastrophic failure, providing an extra measure of safety in case of severe detonation.
Strength. Copper (in the form SCE uses) has a tensile strength of approximately 32,000 psi, compare this to the 1200 to 1800 psi tensile of most facing materials used on conventional performance head gaskets.

Copper Head Gaskets

Premium Quality * Properly Annealed
Perfect Fit * Dead Soft Copper

Track Tested & Proven by Top Fuel & Alcohol Racers

SCE-31541 304 Stainless Steel .041 O-Ring Wire. 15ft



Original



SCE GASKETS

Thickness
.032 - .080

In Stock:

SB Chevy
BB Chevy
LS Chevy
Late Hemi
Early Hemi
Donovan
SB Mopar
BB Mopar
Ford 429
Arias


Sold in Pairs

The World's First *Self-Sealing*

SCE's **TITAN series** gaskets provide unbeatable strength and user friendly installation. This patented headgasket gives you the best of both worlds.

The combustion sealing strength of a SCE copper headgasket and the confidence of ***built-in coolant and oil passages***! **The perfect racing and performance Copper Headgasket!**

Self-Sealing



Self-Sealing & Integrated O-ring

Same as above but with a **Integrated Steel O-Ring** means there is no need to machine your Block or Heads!

Embedded silicone to seal oil and water passages. Soft copper is ready to use.

How to Install Copper Gaskets

Self Sealing with O-Ring



Prices, Tech & Selection

No Machining Required!

Good Vibrations Motorsports

Professional Products at Sportsman Prices!

Copper Gaskets

Large Selection Gaskets Online

800/576-7661

Pro-Copper Exhaust Gaskets



SCE Copper Exhaust Gaskets will permanently seal a warped or uneven flange.

[redacted]

Raised Embossed

Non-Embossed

In Stock: Chevy, Mopar, Ford, More...

Collector Gaskets


Use SCE copper collector gaskets for maintenance free operation.



Sizes: 2.5, 3, 3.5in

SCE's Graph-Form Exhaust Gaskets

Offer easy-to-fit positive sealing in any severe duty exhaust systems from racing & performance to mild street applications. Will seal on warped, pitted or uneven surfaces up to 1/16". Outperforms all competing brands!



New!

Exclusive high-density 1/8" thick carbon-graphite material outperforms all competing brands in sustained high temperature operation.

In Stock:

SB Chevy
BB Chevy
Late Hemi
Early Hemi
Donovan
SB Mopar
BB Mopar
Ford 429
Arias

Header Stud Kit

Premium Steel Studs
12pt Chromoly Nuts
F-HS-BBC 16ea
F-HS-HEMI 20 or 26



Premium Zoomie Header Kits

FC/ Altered **(Double Wall)**

Dragster **(Single Wall)**

Weld-Up Kits





3/8" Thick Flanges
.065 Wall Thickness

Header Kits IN STOCK:

[redacted]

USA Quality

These are superior to your plain old muffler shop steel!

2.25 or 2.50" Diameter

Single Wall ...

Double Wall ...

Includes: Straps & Flanges!



Fits 2.25 & 2.50"

Zoomie Covers

Sheet Metal Aluminum
Keeps Cold Air off Valves
Prevents Uninvited Rocks
Won't Rust

C-8140 (pr)

Female 1/8 NPT
Steel **C-8090 ....**

g



Tested and Proven for over 50 years by top teams like: **John Force, Frank Manzo, Jim Dunn, Jay Payne, etc..**

Premium Billet Gear Drives

Billet Aluminum Cover
O-Ring on Backside
Chromoly E-9310 Gears
Fixed Idler Gear
Premium Fasteners
Seal Retainer
Built-In Crank Trigger Bracket
Fully Adjustable TDC Pointer
Scalloped Style Extension
Cam Hex: **3/8 7/16 1/2 or 5/8**



One of the strongest on the market !

ACC-2732 BB CHEVY
ACC-2740 KB Olds/ Arias Century
ACC-2747 KB TFX BAE Tall

Proven by Top Fuel & Alcohol Teams

Gear Drive Components

FI-2310 Fuel Pump BILLET Aluminum Clamp
FI-2313 Fuel Pump BILLET Aluminum Clamp. Fits Enderle Exts
B-2119 Cam Cover. Scallop Style (BBC- KB-BAE-TFX, etc..)
B-2121 Cam Cover. Non-Scallop Style (BBC-KB-BAE-TFX, etc..)
RCD-300209-03 5/8-3/8 Steel Hex Adap
B-2113 3/8 Hex Premium Steel Shaft 3" **B-2115..** 5"
B-2123 QR Pump Ext 3" Fits Scalloped Style **B-2125..** 5"
B-2126 QR Pump Ext 5" Fits Non-Scallop Style **B-2128..** 6"
G-3575 Cam Torrington Bearing 3pc HEMI **G-3378..** Lrg Cam







Chromoly Crank Gears

B-2150 HEMI. RCD Spline
B-2155 HEMI. PSI Spline - Bryant
B-2160 HEMI. PSI Spline - Velasco
B-2165 HEMI. Double 1/4 Keyways

Also BB Chevy in Stock

Std
.010
.020



Chromoly Cam Gears & Hubs

B-2145 Cam Hex Drive (3-bolt)
B-2145-6 Cam Hex Drive (6- bolt)
B-2146 Cam Gear & Hub Assembly

BBC
HEMI

Hex Sizes
3/8
1/2
5/8



Billet Gear Drives

RCD-251000-0003 SBC
RCD-251000-0006 SBC w/ BBC
RCD-251000-0009 SBC Tall
RCD-251000-0012 SBC Tall w/ BBC
RCD-253500-0004 TFX
RCD-254000-0040 417 Donovan



Cast Gear Drives

Milodon

Will handle the rigors of blown and nitrous engines!

Cast Alum Cover
Chromoly Gears
Fixed Idler
Quality Fasteners
3 PC Torington



A Great Value!

Removable Cam Cover
Adjustable Bolt Pattern on Cam Gear
3pc Bearing to Control Cam Movement

MIL-12000 SB CHEVY
MIL-12250 SB CHEVY Injected
MIL-12600 BB CHEVY
MIL-12608 BB CHEVY MK VI
MIL-12700 BB CHEVY Injected
MIL-12706 BB CHVY Mk VI Inject
MIL-13250 BB MPR/ Hemi Injected
MIL-12970 16200-12700 Conversion
MIL-14900 DVD: How to Degree a Cam





Drive your Mechanical Fuel Pump off a Jesel Belt Drive



SB & BB CHEVY



New!

Billet Bracket w/ Mounting Hardware
3/8 or 1/2 **Left Hand Hex Drive**

Enter



www.DragParts.com
License Plate Frames
Good Vibrations Racing

Send us a pic of your ride with our frame and you'll be entered in the

*** PreOwned Performance Parts ***

We pay CASH for good, used Race Parts!














Roots Blowers
Pulleys & Belts
Injection Hats
Fuel Pumps
Safety Equipment
Magneto Ignitions
Oil Pumps
Specialty Tools
AN Fittings & Hose

















Current Used Parts Inventory

Motor oils, transmission fluids and gear oils are flowing lubricants that provide a film barrier between metal surfaces pressing or rubbing together. The greater the film strength, the better the oil. However, in extreme pressure metal-to-metal areas, the film strength of oil is seriously thinned and is often completely squeezed out. On the other hand, ***Prolong*** is a bonding lubricant. ***Prolong AFMT™*** interacts with metal surfaces in a molecular and chemical process to create a protective buffer on the surface of the metal. This is not a film or coating over the metal. Molecules in the AFMT™ formula are polarized and actually bond with the metal surface. The layer of AFMT™ molecules is activated by extreme pressure and heat, meaning that ***Prolong*** lubrication performs best right where it is needed most! The result, AFMT™ significantly reduces harmful friction and heat.

Oil Stabilzer

Fortified with Prolong's advanced technology, nothing works better than Prolong Oil Stabilizer to help ***solve lubrication-related*** problems. Other oil stabilizers on the market do not include the necessary additives provided by today's motor oils, such as antioxidants. The formulation of Prolong Oil Stabilizer includes: Prolong's AFMT™ (Anti-Friction Metal Treatment) advanced technology as well as vital additives to provide a completely formulated oil stabilizer product, which sets this product apart from the other competitors. (32oz)

Works great in high horsepower, drag racing engines especially those injected or blown.

Fuel: ***Gas, methonal, diesel or nitro fuels.***



PSL13032

Wash & Shine

Prolong Waterless Wash & Shine is a revolutionary new method of washing and shining your car in less than 15 minutes without water. No buckets, no hoses, no rinsing and drying! Simply spray on the surface and wipe dry. With Waterless Wash & Shine you can conveniently and quickly wash your race or show car anywhere, anytime. Leaves a protective film that provides gloss, color and smoothness that conventional car washes fail to deliver. (17oz)

Safe & effective on race and show cars.



PSL64017

50W Oil for Alky & Nitro



Nitro 50W Racing Oil, Specifically developed for racing engines fueled by Alcohol and Nitromethane. Exceeds the demands of high displacement, high RPM racing engines. (1 Gallon)

PSL14501

Lubricant

Super Penetrating Lubricant Spray is formulated with AFMT™ (Anti-Friction Metal Treatment) advanced technology to ***lubricate, penetrate,*** and ***prevent*** corrosion, free sticky mechanisms, ***displace*** moisture, stop squeaks, and reduce friction and wear on all metal surfaces. ***Easy-to-apply*** protection and lubrication for hundreds of performance & recreational uses as well as industrial applications such as light duty machining, tapping and drilling fluid. (16oz)

4 oz **PRO1-40004**

Ideal for:

Enderle & Hilborn fuel pumps, barrel valves & shutoffs.



We also Stock Pro-One Products



pro1one EXTREME LUBRICANTS

Oil Stabilizer
Penetrating Oil
Greases
Engine Treatment



Racing Oil Key Benefits:

High Zinc Fortified
Perfect oil for high RPM engines
Extra Protection
Lower Oil Temperature
Compatible With Methanol Or Racing Gas
Less Drag For More Horsepower!

Break-in Engine Oil

LOP-10635 20W-50 Oil 1 Qt ..
LOP-10636 20W-50 Oil 5 Qt ..



Racing Engine Oil - (5 Quarts)

LOP-10621 20W-50
LOP-10347 50W
LOP-10910 60W
LOP-10348 70W



Racing Engine Oil - (5 Gallons)

LOP-10095 50W
LOP-10697 60W
LOP-10266 70W

Hot Rod & Classic Engine Oil

LOP-10683 10W-40 Oil 5Qt

Because many of these very special machines often spend long periods off the roads, special additives are formulated into the oil. Similar to Lucas' Marine oils that provide rust and corrosion protection

New!



Super Coolant

Lower cylinder head temps.
Allow advanced timing and more horsepower.
Reduce operating temperatures by up to 20°.
Prevents corrosion and deposits that cause leaks, overheating, and cooling system failures.

LOP-10640 Super Coolant 16oz



Transmission Sure Shift

Smooth, precise shifting * Extraordinary protection

This is no normal ATF formulation. It has been developed to give the smooth, precise shifts needed by racers and yet extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried

LOP-10052 1 Qt.



SAFEGUARD™ ETHANOL Fuel Conditioner With Stabilizers

Lucas Safeguard™ was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Safeguard™ is completely soluble in all ethanol fuels and will not harm filters. Contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



LOP-10670 Ethanol/ Alky Conditioner 5.2oz
Treats 80 Gallons

Synthetic Gear Oil

SAE 75W-90 Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for high performance applications where other gear lubricants just aren't good enough. Contains a special additive that cushions gears and resists "squeezing out" under extreme pressure situation.Specially designed to stand up to high temperatures without losing its lubricity.



LOP-10043 80W-90 1 Qt Non-Syn
LOP-10047 75W-90 1 Qt Synthetic

Extreme Pressure Valve Train Synthetic Grease

Greatly reduces friction on moving parts to prevent galling. Excellent adhesion quality. Excellent on all surfaces requiring an extreme pressure lubricant. Perfect for assembly lube on rod bolts. Protects pushrod ends on initial start up. Essential for roller lifters, rockers, pushrods and camshafts.



LOP-10563 1 oz Tube

Semi-Synthetic Assembly Lube

Lucas High Performance Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. The Semi-Synthetic formula that contains ZINC, MOLY and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, Lucas High Performance Assembly Lube will eliminate dry starts and prevent seizing galling and scuffing.



LOP-10153 Assembly Lube 8o

Front Offset Drive

ENDERLE FUEL INJECTION

Aluminum drive allows one to drive the fuel pump and magneto off the gear drive. Clamps to your fuel pump extension. Gear driven - no belt to replace!



E-4116.M



New

Billet Offset Drives

Accepts Mallory or MSD Mags.
Belt Driven. Includes Bronze Gear.

[redacted]




b

Front Pump/ Magneto Drive (Sitko)

Ideal if rear blower clearance is a problem. Minimizes the effects of cam flex on timing.



c



Chevy e



f Hemi


Specs Online

Magneto Offsets (Dunn)

g



d



a

RCD ENGINEERING

a. **RCD-302000-0005** Front
b. **I-2062** Front Drive
c. **T-1016** MSD Support
d. **T-1013** Mag Support Clamp
e. **I-2030** Chevy Offset
f. **I-2040** KB, TFX, BAE
g. **I-2037** Cross Coupler



Need Spark?

Magneto Assembly

Super Mag III
3.8 amps

Great for supercharged alcohol engines!

Includes: Generator Assembly, Billet Alum Base, Pro Coil, QD Wiring, Instructions and Case.

M-37-36544 LH Hemi Pro Cap
M-37-33744 RH 392 Hemi Pro Cap
M-37-59544 RH Chevy Pro Cap
M-37-59514 RH Chevy Stack Cap

Includes padded storage case!

Also Available for Fords & Mopar

Billet Magneto Bases

Hemi Straight Base
1Pc Oil Shaft
Premium Bronze Gear
Uses X-Driver

E-7025



ENDERLE FUEL INJECTION

RCD-303000-0015

Hemi Angled Base
1pc Oil Shaft w/ Bronze Gear
Allow Mag to clear Valve Cover



RCD ENGINEERING

Base w/ Bronze Gear
Stainless-Steel Clamp
X-Driver & Pointer

FIE



M-37365 Chevy Std
M-37590 Chevy Adj
M-37337 Early HEMI
M-37365 426 HEMI

Front Drive

Move your Distributor or Mag to the front.

Clamps to Pump Extension.
Uses Std height BBC Base.
Positions magneto behind blower belt.
Includes Support Bracket.

RCD-302507-0010



RCD ENGINEERING


Same as unit to the left though it does **NOT** require a magneto base. Works with Mallory or MSD magnetos.

RCD-302507-0001 CW
RCD-302507-0002 CCW



New!

Magneto Components



M-28103A Advance Lock Out
M-28995 Rotor (RH) Stack Cap
M-28995A Rotor (LH) Stack Cap
M-29038 Rotor Adapter
M-29772 Rotor (RH) Pro Cap
M-29773 Rotor (LH) Pro Cap
M-29772C Rotor/Adapter w/ nylon screws
M-25758M Premium Contact Points
M-28005 .56mf (Large) Condenser

Magneto Parts Breakdown



M-205XB HEI Stack Cap
M-29745B HEI Pro Cap
M-29744B Wire Retainer
M-26007B 4 Pin Drive Flange
M-26030 Woodruff Key
M-28974 Timing Indicator
M-28862 Wiring Harness

Huge Selection of Magneto Components

Convert Mallory 4-Pin to X-Driver



Much stronger than the Mallory 4 pins

I-2016 Adapter
I-2037 X-Driver
I-2017 Assembly



MSD-8110 Chevy Hold-Down Clamp
I-2042 Hemi Hold-Down Clamp
M-45520 Alum Slip Collar Clamp Hemi
E-88-135 HEMI Bronze Gear
I-2073 MSD Chevy .500 Bronze Gear
I-2070 MALLORY Chevy .491 Bronze

Magneto Clamps



I-2038 Billet Alum
M-26041A SS Steel

Spark Plug Wire



8mm Plug Wires are designed to withstand temperatures over 500 degrees. Tinned Copper solid core are for ***points magneto*** equipped engines.

I-2222 Most w/ 90 Deg Ends
I-2212 Hemi w/ Straight Ends
I-2231 Bulk Wire red (foot)

SUPER-MAG Transformer



COIL is externally mounted making for a more efficient and powerful magneto. HEI style contact terminals resulting in a more positive wire retention.

M-28900A SMIII Blown Gas/ Alky
M-28990 SMV Blown Nitro
M-28901 SMV Blown 5-10amp
M-28920 SMV+ Injected Nitro



Oil Filled

Magneto Timing Buzzer



Necessary To Set Magneto Timing

Online Instructions

Lights & Buzzes

I-2098 ...

Kill Switches



Premium Super Mag Kill Switch
M-26074



Designed specifically for Mallory & MSD magnetos. Positive push-off. Internally sealed to prevent corrosion. Single or dual mags.

I-2096 Mallory **I-2097** MSD 44 **(I-2099** Change Over

Magneto Timing Light

Self Powered
Intense Strobe
Super Bright
Very Accurate



Works on Mallory & MSD Magnetos

MSD-8991

FACTORY AUTHORIZED STOCKING DEALER

MSD Can We Spark Your Interest??

Pro Mag 20

Great for Blown Alky
Points Box Contains Coil !





Options: Crank Trigger, Timing Retard, Rev Limiter

MSD-81502 Pro Mag 20 CW
MSD-81602 Pro Mag 20 CCW
MSD-8106 Pro Mag 20 Coil/ Points Box

Pro Mag 44

King of Magnetos

Ideal for Nitro & Top Alcohol
Options: Crank Trigger, Timing Retard, Rev Limiter





MSD-81307 Pro Mag 44 CW
MSD-81407 Pro Mag 44 CCW
MSD-8147 Points Box w/ Rev Limit



MSD



FIE

MSD-8142 Pro Mag 44 Coil Red
MSD-81423 Pro Mag 44 Coil Black



M-28944B FIE 44 Coil Black
M-28944 FIE 44 Coil Red
M-29321 FIE Coil Bracket
M-8822 Coil Vibrations Mounts

Power Grid System

Fits: **12/20/44**



* Five retard stages for nitrous
* Shift light settings for each gear
* Ignition data acquisition accepts multiple runs
* Crank Trigger system highly recommended
* Timing based on engine rpm and gear value
* Output switch set on rpm, pressure or time
* Advanced individual cylinder timing based on gear or time
* 4 steps of rpm limits for burnout, launch and over-rev

RPM Activated Switches

Turn devices on or off at desired rpm

I-4150 Activated Switch
MSD-8747 Module Kit
MSD-8739 2-Step Module
MSD-8737 3-Step Module





8.5mm Super Conductor Wire







MSD-31223 Wire Set 90 Deg Ends Black.
MSD-31229 Wire Set 90 Deg Ends Red
MSD-31523 Wire Set HEMI Black
MSD-31529 Wire Set HEMI Red
MSD-34049 Bulk Wire 100ft
MSD-31529 Pro Crimping Tool

Pricing, Selection & Application

Straight & 90 Degree Ends in Stock
Sold Individually, 10 & 100 Packs





Breather Tanks

This remote 1qt breather/ oil separator easily mounts to a rollbar or firewall. Comes standard with molded-in inserts and a swivel petcock for easy draining.

JAZ-605-025 AN6
JAZ-605-825 AN8
JAZ-605-125 AN10
JAZ-605-225 AN12
JAZ-605-001 Blank
JAZ-605-375 Mini



Radiator Overflow Catch-Cans

One-piece molded construction with swivel elbow input. Lever petcock for easy draining. Meets NHRA rules for 1qt. capacity. Easy mounting with threaded inserts.

JAZ-600-025



Stainless-Steel Overflow



High Luster SS w/ Mounting Bracket

2pt Capacity

ACC-3120 2 x 19”
ACC-3122 3 x 10”

Race End Cases



Storage case for Ford 9”
Has built-in handles.
Stackable for Transport.

Special Buy! **JAZ-700-009-01**

Fuel Cell Tip-Over Valve

Fuel cell vent prevents fuel spill if tipped upside-down.



AUTO CLUB FAMOSO Raceway Bakersfield, Ca.

Good Vibrations Motorsports is the Official:
“Aftermarket Drag Specialty Wholesaler”
of Auto Club Famoso Raceway (i.e. The Patch)

Pro Mod Fuel Cell



This new **8 gallon** Pro Mod Fuel Cell measures 14"x17" and is 10-1/4" tall at the rear. Its unique shape is well suited to front mount applications. It also features an aircraft style cap assembly and is **SFI certified**.

This fuel cell comes standard with:
-Two AN-12 Fast Flow outlet Fittings
-One AN-8 Tip-Over Valve Vent
-Two AN-8 Return lines with an anti-aeration tube attached.


SFI 28.1
W/ Cap & Fittings
W/ Cap Only (non-sfi)

Funny Car/ Altered Cell

Optional Cap



Specially designed with one AN12 pickup (optional AN16). Has one AN6 on top for venting. Multiple fuel injection lines can be easily installed near the top of this cell.



JAZ-290-112-01 12 Gal

Small Fuel Cells







Cells are designed for applications utilizing gas & alcohol fuel. The 1 gallon features an aircraft style cap, 1/4” petcock fitting for fuel pickup and vent.

JAZ-230-025-01 1 Quart
JAZ-230-051-01 2 Quart
JAZ-230-001-01 1 Gallon



BBC

Dan Olson = For Those That Demand and Require High Quality, Aluminum Oil Pans.

Dan Olson Racing Products




HEMI

3/8" Billet Rail w/ O-ring, Baffled Windage Tray, Front & Rear Skid Plates.

O-1240 **BBC** Aluminum Tapered w/ Pickup .....
O-1210 Wet Sump **TFX** w/ Pickup .....
O-1212 Wet Sump **BAE & KB** w/ Pickup .....
O-1202 Pickup W/ Fitting HEMI .....

HEMI Single AN16 Pickup (*AN20* Fitting Available)

Milodon is a name you can trust your oil needs to. Their quality products have been keeping race cars lubed for decades. A great value in Oil Systems.



Chevy

BB Mopar/ HEMI

Oil Pumps

Milodon

MIL-18760 BBC Cast Alum w/ 3/4" Pickup Hole
MIL-21815 BB Mopar/Hemi Wet Sump 19gpm AN12
MIL-21225 BB Mopar/Hemi Oil Pump Cover Remote mount
MIL-21503 BB Mopar/Hemi Oil Pump Drive w/ Steel Gear
MIL-21523 BB Mopar /Hemi Oil Pump Drive w/ Bronze Gear



BBC

BB Mopar/ HEMI

Oil Pans & Pick Ups

Lightweight Steel, Semi-Circular Windage Tray, Trap Doors, Fits Large Stroke Engines

MIL-31176 BBC Mark IV Race Full Kick Out 8qt Plus Filter
MIL-31151 Chrysler BB/Hemi Race 7qt Plus Filter
MIL-32005 Windage Tray BB Mopar/ Hemi
MIL-18202 BBC 3/4 Pickup for 31176 Oil Pan
F-HS-BBC Chromoly Header Stud & 12pt Nut Kit (Set of 16)

Online Prices, Tech & Selection

BILLET Oil Pump Drive

Ideal when Mag is up Front
Adjustable Slip Collar
Bronze Gear

MSD



I-2155 Chevy ...

OIL Pump Primer

Inserts into Dist Hole
Prime Oil Prior to Startup



I-2030 Most V8 GM ..



Over 90% of Nostalgia Funny Cars & Dragsters run System 1 Filters!

Oil Systems

800/576-7661

Oil Pumps and Filters for Severe Race Applications, especially Blown Alcohol & Top Fuel

Chevy Oil Pumps






Cast Housing
Adjustable Pressure 75-125psi
Bypass Oil Anti-aeration
Use Stock Chevy Pickup
Finest Cast Pump onthe Market

SYS-234-900775-2 SB Chevy
SYS-234-900773-2 BB Chevy

HEMI Oil Pumps



HEMI

Billet 7075-T6 Alum Construction
Low Weight & High Strength
Adjustable Oil Pressure 80-250psi
Bypass Oil Anti-Aeration
1.8 Gear 30 GPM!



SYS-235-900780-2 *Wet* Sump HEMI .....
SYS-235-900778-2 *Dry* Sump w/

Used by 8 out of 10 Professionals!

BILLET Oil Filters & Adapters

*** Spin-On Aluminum Filters**
*** Re-usable Stainless Steel Element.**
*** Very easy to inspect oil.**
*** BILLET Aluminum!**

a



BILLET Spin On

j

b



SS Elements
45 & 75 Micron

i





c



Inline Oil

Need Fuel Filters? See Page 12

d



Remote Mounts
AN10-12

e



f



f




a. **SYS-209-361-B** Oil Filter Buna 3.75”
a. **SYS-209-571-B** Oil Filter Buna 5.75”
b. SS Element 45 or 75 Micron ..... *from*
c. **SYS-201-203700** Inline Oil Filter
d. **SYS-221-90004** Remote Mount
e. **SYS-220-90006** Remote 1.50”
f. **SYS-222-90007** Side Remote
g. **SYS-228-90556** Block Adapter
h. **SYS-804-75** Diesel Oil Filter
i. **SYS-219-0950** Strap Wrench
j. **O-Rings BUNA ..**

Proven by the Pros, used heavily by Sportsmen Racers

Diesel Tractor Pullers

Block Adapters

g





h



Machined from Billet Aluminum and Anodized.

Huge Selection Online!

Check Your Filter Without Opening it!

Simply look through the glass window for any foreign debris. No need to open filter.
HUGE Time Saver!


a.

Clearview Oil Filters

* 6061-T6 Billet Aluminum
* Clear Anodized for Durability
* Heat Resistant Sight Window
* Stainless-Steel Cleanable Filter
* Patented. * 4 or 6" Diameter



b.

a. **O-3060** 6in Hi-Flow. AN12 Fem Ports up to 70wt Oil
b. **O-3062** 6in Screw-On. AN12 Fem Ports up tp 70wt Oil. Accepts 1 1/2 - 12 thread
b. **O-3042** 4in Screw-On. AN12 Fem Ports up to 50 wt Oil. Accepts GM thread

Assemblies INCLUDES Mounting Bracket & Hardwae!

See How It Works! Video

BILLET Bracket Assemblies *Include Mounting Hardware!*


a b c d e f

a **O-3020** 4" Mounting Bracket - Flat Surface
b **O-3022** 4" Mounting Bracket - Angle Surface
c **O-3024** 4" Bellhousing Mounting - Chevy
d **O-3030** 6" Mounting Bracket 2" C-C

The following mounts to O-3030 Bracket...

e **O-3032** 6" Oberg Pattern Bracket. 2.375 C-C
e **O-3034** 6" CEBE Bracket. 2.600 C-C
f **O-3031** 6" Petterson Pattern Bracket. 3-Bolt.

Stainless-Steel Filters



O-3014-60 Micron 4"
O-3014-115 Micron 4"
O-3016-60 Micron 6"
O-3016-115 Micron 6"

Viton O-Rings



O-3016-380 Micron 6"
O-3004 4" Viton
O-3006 6" Viton

Sight Glass



O-3010 4" ...
O-3012 6" ...

Block Adapters



Block Adapters are machined from 6061-T6 billet aluminum and will adapt where the stock disposable filters normally mount. Designed for high-flow without restrictions and are threaded for female AN12 O-ring boss fittings. Include o-rings and fasteners.



BILLET ALUM

O-3070 Chevy
O-3070 LS
O-3072 Ford & Dodge
O-3074 Pontiac & Olds
O-3070 Cummins


Pete Mauriello - Whittier Calif.

Good Vibrations Motorsports March Meet

The *Good Vibrations Motorsports March Meet* is a historic race held annually at the famous Auto Club Famoso Raceway in Bakersfield, Calfiornia. It draws racers and fans from around the world especially Australia, United Kingdom, Europe and Canada.

A Bucket-List event!



Most

Here's an Exclusive!

Good Vibrations Motorsports
MARCH MEET Shirt

Silkscreened 11 Colors!

100% Pre-shrunk USA Cotton
Sizes: ***Small-3XL***



Mouse Pads

FREE w/ Order Code: **GVMMP**

Race Results, Pictures, Videos & More!

Limited Edition Tee Shirts !!



GOD VIBRATIONS logo (Rear)
ENDERLE logo (Front)

Now in Black!



Silkscreened 6 Colors

100% Pre-shrunk USA Cotton
Small-3XL



Hats w/ Class

Go out in style with a Good Vibrations Silkscreened Trucker or High Quality Embroidered Flatbill.



Silkcreened
Trucker Style
GV-P1004



Embroidered
Flat-Bill
GV-P1007 s-m
GV-P1008 l-xl

Heavy Duty Shop Aprons





2 Large Pockets
Embroidered
Loop Neck
Tie Back

Our Mission:

At Dragparts.com, we strive to provide high quality performance products at discount prices without sacrificing customer service.

WE SHIP WORLDWIDE!

Good Vibrations

8858 Painter Ave, Suite E
Whittier, CA 90602



Buy Sell Trade

AEROMOTIVE · BLOWER SHOP · Control CABLES · DAN OLSON RACING PRODUCTS · DJ · ENDERLE FUEL INJECTION · FIE · Hi TORQUE IMI Performance Products · JAZ Products · MSD · PRO-WERKS · RCD ENGINEERING · SCE GASKETS · SMILEY'S CUSTOM HEADERS · SYSTEM 1 · TOTAL SEAL PISTON RINGS · wilwood DISC BRAKES · XRP xtreme racing products

Online 24/7 www.GoodVibesRacing.com 800/576-7661